

The time to get abrasive is now!



Premiere Pads

A Light-Duty Scour Pad

For light-duty cleaning. Won't scratch or dull most surfaces. Ideal for glass, stainless steel, porcelain, chrome, copper and ceramic surfaces. White, 6 x 9. 20 pads per case.

PAD 198

Case 1

B Medium-Duty Scour Pad

Medium-duty for most common cleaning jobs. Cleans pots, pans, kitchen equipment, floors, stairways and baseboards. Green, 6 x 9. 20 pads per case.

PAD 196 Case 10.14

C Heavy-Duty Scour Pad

Thick, heavy-duty for tough cleaning jobs. Ideal for cleaning food processing equipment and heavily baked-on foods. Removes scuff marks from floors. Green, 6 x 9. 15 pads per case.

PAD 186 Case 11.20

D Extra Heavy-Duty Scour Pad

For extra heavy-duty cleaning of heavily encrusted pots and pans, kitchen equipment and grimy maintenance equipment. Alternative to stainless steel scrubbers. Blue/Gray, 3.5 x 5. 20 pads per case. PAD 188 Case 14.0

■ Light-Duty Scrubbing Sponge

Absorbent cellulose sponge on one side, scour pad on the other. Won't scratch most surfaces. Cleans stainless steel, glass, ceramic, fine china, porcelain and nonstick cooking surfaces. Yellow/White, $3.6 \times 6.1 \times 0.7$. 20 sponges per case. PAD 163-20 Case 26.28

■ Medium-Duty Scrubbing Sponge

Absorbent cellulose sponge on one side, nylon scouring pad on the other. The ultimate combination for cleaning ceramic fixtures, kitchen and bath surfaces. Yellow/Green, 3.6 x 6.1 x 0.7. 20 sponges per case. PAD 174 Case 24.72

G Nylon Mesh Scour Pad

For light-duty use on smooth surfaces. Sponge pad covered in mesh material for scrubbing. Yellow/White, 3 x 4 x 5/8. 2 pads per pack; 24 packs per box.

PAD 262

Box 14.06

II Plastic Mesh Scour Pad

Mildly abrasive for scouring and scrubbing. Lightweight plastic mesh. Yellow/Green, 3½ dia. x 1" thick. 2 pads per pack; 24 packs per box. PAD 235 Box 13.02

Unger

■ Fixi Clamp Sponge

Attacks hard-to-reach dirt when attached to the Fixi Clamp UNG FIXI (sold separately). 8 x 2 x 3. UNG SP01 Each 2.90

J Fixi Clamp

Grips sponge UNG SP01 (sold separately), rags, mop heads and cloths. Combined with an Unger® telescopic pole (sold separately), the clamp becomes a high-rise cleaning tool.

UNG FIXI

Each 36.06

US Pumice



A Pumie® Scouring Stick

Cleans porcelain, ceramic tile, concrete, masonry and iron. Removes lime, rust, stains and paint. 100% natural, won't harm surfaces. Individually wrapped 6 x ¾ x 1¼ sticks. **PUM 12**

Dozen 41.70



Franklin

B Big Boss II™ Non-Scratch Scouring Pads

Commercial size 3½ x 5½ cleaning pads for heavy-duty scouring. Packaged in a convenient display case. 24 pads per case.

C Brillo Steel Wool Soap Pads

Hotel size for heavy-duty cleaning of pots and pans. 10 pads per box; 12 boxes per case. PUR W240000

Global Material Technologies



Industrial-Quality Steel Wool Reels

Four-inch wide continuous ribbon of steel wound on a fiber core. The most economical format for bulk users of steel wool; ideal for making custom shapes and pads sized for specific uses. 5-lb. reel. 6 reels per case. Shpg. wt. 32.6 lbs.

No.	Grade	Case
GMT 105044	#1 Medium	163.96
GMT 105045	#2 Medium Coarse	163.96
GMT 105046	#3 Coarse	163.96

■ Industrial-Quality Steel Wool Hand Pads

Hand-size steel wool pads for general use. Choose from eight grades for professional results on stripping, cleaning, finishing and polishing tasks. 16 pads per poly sleeve; 12 sleeves per case. Shpg. wt. 10 lbs.

No.	Grade	Case
GMT 117000	#0000 Finest	72.00
GMT 117001	#000 Extra Fine	67.20
GMT 117002	#00 Fine	62.06
GMT 117003	#0 Medium Fine	59.82
GMT 117004	#1 Medium	59.74
GMT 117005	#2 Medium Coarse	58.24
GMT 117006	#3 Coarse	58.24
GMT 117007	#4 Extra Coarse	58.34



Loren Products

■ Kurly Kate® Stainless Steel Sponges

High-quality to handle a variety of scouring jobs. 12 packs per case.

No.	Size	Pack Qty.	Case Qty.	Case
PUR 300	Medium	12	144	141.68
PUR 756	Large	6	72	122.42



Premiere Pads

G Premiere[™] Stainless Steel Scrubbers

Stainless steel for rough cleaning chores—won't rust or splinter. Cleans pots and pans, grills, ovens; removes floor scuff marks.

No.	Size	Case Qty.	Case
PAD 35	Medium, 1.25 oz.*	72	100.22
PAD 50	Large, 1.75 oz.	12	21.42
* 12 pads per	box; 6 boxes per case		















Clorox Professional

■ S.O.S® Heavy-Duty Scrubber Sponge

Bigger and thicker than ordinary scrubber sponges. Angled shape gets into hard-to-reach places. Cuts through the toughest messes. 3w x 5¼d x 3¼h. 3 sponges per pack; 8 packs per case. CLO 91029 Case 27.68

■ S.O.S[®] Steel Wool Soap Pads

Extra-thick steel wool pad with double the soap. Cuts grease and shines metal. Ideal for heavy-duty scrubbing of pots and pans. Rust inhibitors and interwoven design make pads last longer. 15 pads per box; 12 boxes per case. CLO 88320 Case 55.64













A Tran-Set Cleaning Kit

Everything needed to clean floors, walls, windows and ceilings in an organized nylon carrying case. Kit includes 8' extension pole; 14" strip washer; large sponge; Pro squeegee handle; 6", 12" and 18" "S" channels with rubber blades; 36" soft replacement squeegee rubber; Trim 10 Scraper with ten blades; Safety Scraper with blade; Fixi Clamp; Handi-Brush and instructions.

UNG TRSO Kit 254.64

B Universal Cleaning Kit

Molded polystyrene case protects and organizes the following tools: 8' extension pole; 14" strip washer; Pro stainless steel handle; 6", 12" and 18" "S" channels with rubber blades; 36" soft replacement rubber; Trim 10 Scraper with ten blades; Fixi Clamp; Handi-Brush; large sponge and cleaning instructions.

UNG MPSS 222.96

Pro Window Kit

Includes 8' extension pole, 18" strip washer, Pro stainless steel squeegee handle, 12" and 18" "S" channels with rubber blades, large sponge and Trim 10 Scraper with ten blades. UNG PWKO 113.42

Unisan

D Plunger

For drains or toilets. 20" wood handle with 4" high, 6" dia. plunger. UNS 9201

Unger

■ ErgoToiletBowlBrush System with Holder

Effectively cleans toilets and urinals. Longer handle and ergonomic design for increased worker comfort and safety—reduces wrist, back and arm pain, minimizes risk of backsplash. Lightweight, high-quality handle with molded grip. Holder isolates contaminents, reducing risk of cross-contamination. Removable drip bowl reservoir keeps head from standing in dirty liquid. Each system includes holder, 26" long handle and two 3.5" dia. brush heads. **UNG BBWHR** 23.76

F Replacement Brush Head for ErgoToiletBowlBrush System

Attaches guickly to handle included in the ErgoToiletBowlBrush System (sold separately). Unique brush head shape for easier access to hard-to-reach areas; cleans more effectively in less time. Reusable and replaceable nylon heads will not harbor harmful bacteria. Colorcoded red for restrooms 3.5" dia. Two brush heads per pack; 5 packs per case. **UNG BBRHR** 41.94

G Swab Head for ErgoToiletBowlBrush System

Attaches quickly to handle included in the ErgoToiletBowlBrush System (sold separately). Apply disinfectant/bowl cleaner directly to swab or inside bowl for effective cleaning. Color-coded red for restrooms. 3.5" dia. Two swab heads per pack; 5 packs per case. **UNG BSRHR** Each 33.50



Unisan

A Toilet Bowl Mop

UNS 160 **Each 1.22**

B Value-Plus Cone Bowl Mop

Cone moves freely over mop head to remove excess liquid. $4\frac{1}{2}$ " strands of acid-resistant polypropylene. White. Strong I-beam 12" plastic handle.

UNS 170 **Each 1.90**



Pro Line Brush

© White Tampico Bowl Brush

White tampico is twisted in wire and shaped to clean interior bowl surfaces. Plastic handle with hang-up hole. Brush face 5 x $4\frac{1}{2}$. Overall length 19".

BRU 6217 Each



Rubbermaid Commercial Products

D Toilet Bowl Brush

Synthetic polypropylene bristles resist stains and odors. Plastic handle. White. Overall length 14½". Fits holder RCP 6311 WHI (sold separately). RCP 6310 WHI **Each 3.08**

■ Toilet Bowl Brush Holder

White plastic, 5" dia. Holds RCP 6310 WHI (sold separately). RCP 6311 WHI Each 2.56

Toilet Bowl Brush

Stain- and odor-resistant polypropylene bristles are shaped to simultaneously clean under rim and side of bowl. Plastic handle. Brown. Overall length 17".

RCP 6320 BRO

Each

Clorox Professional



6.82

G Clorox® ToiletWand™ Kit

Unique design for hygienic use and disposal—eliminates the need to store a dirty, germ-ridden toilet brush. Sponge-like head conforms to the toilet bowl to clean hard-to-reach places. Disposable cleaning head comes preloaded with concentrated Clorox® foaming cleaner for fresh refill each time. Ergonomic, no-assembly wand provides handsfree connecting and disconnecting of head. One wand and 6 disposable heads per kit. 6 kits per case.

CLO 14884

Case 95.40









Cleaning Accessories Restroom Cleaning System



Unger

· Microfiber antibacterial technology traps dirt better and cleans with fewer chemicals

F

- Color-coding simplifies training and prevents cross-contamination
- Ergonomically designed tools

A Restroom Floor Pack

For basic restroom floor cleaning. Includes Bucket 30L, Bucket Press, SmartColor MicroMop 15.0 (UNG MM40R), Restroom Mop Holder (UNG SM40R) and Ergo TelePole (UNG EP24R). Shpg. wt. (two boxes), 16 lbs. and 3.6 lbs. each. **UNG SMFPR** Each 317.84

B Restroom Bucket Combo 30L

Bucket 30L (8-gal./30 liter) and Bucket Press. Removable high rise wheels. Fits on most janitorial carts. Polypropylene. Red. Shpg. wt. 18 lbs. UNG COMBR Each 197.10

G Restroom Bucket Combo 15L

Bucket 15L (4-gal./15 liter) and Bucket Press. Fits on most janitorial carts. Polypropylene. Red. Shpg. wt. 12 lbs. UNG COMSR Each 151.62

D Easy Adapter Hose

Refill bucket from any faucet. PVC hose with rubber adapter will not pull out of faucet. Reinforced construction. Extends to 6 ft./180cm. UNG WH180 25.16 decals to customize for designated areas or tasks. Polypropylene. Gray. 121/2 w x 5d x 51/2h (31.75cm x 12.7cm x 13.96cm). UNG SMSBG Each 16.73

E Ergo TelePole

Strong, lightweight two-section aluminum pole has 8-ft. extension (50"-96"/130cm-250cm); locks/loosens in a half turn. Snap-in taper/ Acme threaded cone adapter. Attaches to Unger® restroom cleaning tools for extra reach. **UNG EP24R** 46.36 Each

G Restroom Mop Holder

Use with SmartColor MicroMops (UNG MM40R/UNG MD4R) and Ergo TelePole (UNG EP24R), sold separately. Pivoting low-profile nylon head. Large 16" (40cm) surface for added cleaning contact and scrubbing pressure. Button release for easy mop head change (mop head not incl.). 16 x 41/4 (40cm x 10.79cm).

SMARTCOLOR MICROFIBER MICROMOPS

Use wet or dry with Mop Holder (UNG SM40R, sold separately). Aggressive cleaning edges clean with less water, streaking and effort. Absorbs six times its weight in liquid, rinses easily, reduces bacteria up to 96%. Machine launder 500 times. 16 x 5 (40cm x 12.7cm).

■ MicroMop 15.0

Heavy-duty 15mm pile for tile floors, grout lines. Red. **UNG MM40R**

MicroMop 7.0

Medium-duty 7mm pile for vinyl or sealed floors without grout lines. Red/White. UNG MD40R Each 16.76

Each

20.46



Unger

- Microfiber antibacterial technology traps dirt better and cleans with fewer chemicals
- · Color-coding simplifies training and prevents cross-contamination
- · Ergonomically designed tools

A SmartColor Microfiber Washer 15.0

Use with Ergo TelePole (UNG EP24R, sold separately). For cleaning walls, stalls, large mirrors. Holds six times its weight. Penetrates small irregular surfaces to lift out dirt. Patented water wells retain water and release it with scrubbing motion. 18 x 3 (45cm x 7.62cm). **UNG EC45R** Each

B Sanitary Brush

Use with Ergo TelePole (UNG EP24R, sold separately). Scrubber/ squeegee combo sanitizes easily. Polypropylene bristles won't scratch; double moss rubber conforms to uneven surfaces. Acidresistant, noncorroding polypropylene body; Acme threaded socket. 18" long (45cm).

UNG PB45R Each 30.18

C SprayerOnABelt (Patented)

Hooks on belt to transfer weight from back and arms. Flexible hose extends trigger 3 feet. Also sprays upside down. Includes SmartColor Decal Kit (red, yellow, blue, green) for customization. Polypropylene. Use with SmartColor MicroWipes (UNG MF40R/UNG MF40Y, sold separately). 33-oz. bottle (1 liter).

UNG SOABG Each 29.84

■ SmartColor MicroWipes 4000 Heavy-Duty

Microfiber cloths clean with less water, streaking and effort. Use wet or dry; penetrates small irregular surfaces to lift out dirt. Highly absorbent, long lasting; machine launder 1,500 times. Use red on outside of urinals/toilets; yellow/red on mirrors, countertops, sinks. 16 x 15 (40cm x 38cm). 10 wipes per case.

UNG MF40R Case 6.28 UNG MF40Y Yellow/Red Border 6.28 Case

ProDuster

30"-60" (76cm-152cm) extending handle for high-reach cleaning. Includes one disposable sleeve that attracts and holds dust. Additional sleeves (UNG DS50Y) sold separately. **UNG LWDUR** Each 23.60

■ ProDuster Sleeve

Disposable sleeve for ProDuster UNG LWDUR. 18 x 7 (46cm x 18cm). 50 sleeves per pack. 1 pack per case. **UNG DS50Y** Case 31.20

G Nifty Nabber® Gear-driven steel claws with overmolded rubber "fingers" pick up debris from toilets, urinals and trash. Grips and holds small or odd-

shaped objects. Ergonomic handle. 18" (45cm) reach. UNG NN40R Each 45.66

■ Ergo DustPan/Broom

Spot sweep floors. Dust pan opens when base touches floor, closes when lifted; never spills contents. Ergonomic handle. Broom (incl.) stores on handle.

UNG EDPBR Each 52.06

For squeaky-clean floors!





Unger

Water Wands

Digs deep into tile crevices and uneven surfaces to remove liquids, leaving floor finger dry. Choose from standard double moss rubber or heavy-duty squeegee with rugged galvanized steel construction and splash guard. Tapered socket; use with aluminum handle UNG AL140 (sold separately). Optional plastic insert UNG FWAI (sold separately) will convert water wand from tapered socket to Acme threaded socket.

No.	Size	Each
☑ Standard Disposab	le—With black natural foam rubbe	r.
UNG MW450	18"	8.22
UNG MW550	22"	13.42
B Heavy-Duty—With	black natural foam rubber.	
UNG HM550	22"	19.78
UNG HM750	30"	24.78
☐ Heavy-Duty Red Ne	oprene—With oil-resistant rubbe	r.
UNG HW750	30"	27.80

ECONOMY & HEAVY-DUTY FLOOR SQUEEGEES

 Use with Unger 61" aluminum handle with three-degree taper (UNG AL14T, sold separately)

Aquadozer® Straight Floor Squeegees


For general maintenance use. Galvanized steel frame with cast zinc socket. Features 2" replaceable black rubber.

No.	Size	Each
UNG FE45	18"	23.58
UNG FE60	24"	27.24

Aquadozer® Heavy-Duty Floor Squeegees

All-purpose squeegees handle the toughest jobs. Rugged painted frame and cast zinc socket. With replaceable EPDM rubber. Use optional nylon insert UNG FAAI (sold separately) to convert from three-degree tapered socket to Acme threaded socket.

No.	Size	Each
■ Straight—With bla	ick neoprene rubber.	
UNG FP45	18"	29.42
UNG FP60	24"	33.60
UNG FP75	30"	38.80
UNG FP90	36"	43.60
■ Curved—With blace	ck neoprene rubber.	
UNG FP60C	24"	39.44
UNG FP90C	36"	48.54



What world record was made using an 11.8" squeegee and 2.4 gallons of water? The World's Fastest Window Cleaner. Terry Burrows of Great Britain was awarded this honor for his performance at the National Exhibition Centre in March of 2005. Burrows cleaned three standard 45" x 45" windows, including wiping the window sills, in just 9.24 seconds! The contest regulates a maximum squeegee size of 12" and time penalties are deducted for any water marks left on the glass.



Unger

A Sanitary Standard Squeegees

For use in areas where hygiene is a top priority. Ideal for hospitals, kitchens, bathrooms, dairies, around swimming pools or wherever metal components are undesirable. Acid-resistant polypropylene construction. Reinforced frame. (Aluminum handle UNG AL14A sold separately.)

No.	Size	Each
UNG PM45A	18" Head	16.94
UNG PM55A	22" Head	21.04

B Sanitary Brushes

Scrub and squeegee with a single tool. Perfect for kitchens, decks, bathrooms and uneven surfaces. Acid-resistant polypropylene reinforced frame incorporates a splash quard and Acme threaded socket. Durable fused polypropylene bristles and double moss rubber blade. (Aluminum handle UNG AL14A sold separately.)

No.	Size	Each
UNG PB45A	18" Head	23.40
UNG PB55A	22" Head	26.50

C PushPull Floor Squeegee

Heavy-duty, rust-resistant galvanized steel socket and pivoting aluminum channel. Replaceable hard rubber blades feature two wiping blades, making quick work of dirty jobs. (Aluminum handle UNG AL140 sold separately.)

No.	Size	Each
UNG FH600	24" Head	33 58

D Original Strip® Washer with Handle

T-shaped nylon handle has water wells that release water through the strip fabric as needed. The plush, woven fabric sleeve is machine washable and tackles everyday tough jobs, even dusting. Includes one handle and one fabric sleeve.

No.	Size	Each
UNG WC25U	10" Strip	17.22
UNG WC35U	14" Strip	20.60
UNG WC45U	18" Strip	22.42
Original Replacement	Strip Washers	
UNG WS25Ü	10" Strip	10.26
UNG WS35U	14" Strip	12.80
UNG WS45U	18" Strip	14.80

Visa Versa®

A strip washer and squeegee in one. Just wash, flip over and squeegee using hand or pole. Quick spring release accepts both Pro and "S" channels (sold separately). Heads can be offset to clean over ledges.

No.	Size	Each
UNG VP25	10" Head	38.02
UNG VP35	14" Head	42.60
UNG VP45	18" Head	46.54

Tile Squeegee

Nonmarking, white moss rubber makes quick work of water buildup on bathroom tile, countertops and other flat surfaces.

No.	Size	Each
UNG SS35	14" Head	19.16

Unisan



G General-Duty Squeegees

Ideal for windows. Black rubber blade. Synthetic sponge covered in nylon mesh for durability and abrasive scrubbing.

No.	Description	Each
UNS 816	8" Head, 16" Plastic Handle	5.52
UNS 824	8" Head, 21" Wood Handle	5.54



G



It's all becoming clear...

Unisan



A Economical Window Squeegee

All-purpose window squeegee features durable reinforced rubber blade, 12" head. Each 7.66

UNS ES12



Unger

Pro Stainless Steel Window Squeegees

Fast-lock handle with rubber grip, channel and rubber blade. Cleans any flat, smooth surface.

No.	Size	Each
B Complete —With h	nandle, channel and rubber blade.	
UNG PR30	12"	19.42
UNG PR35	14"	20.08
UNG PR40	16"	21.34
UNG PR45	18"	21.70
G "S" Channel—Wi	th rubber blade.	
UNG NE30	12"	8.08
UNG NE35	14"	8.88
UNG NE40	16"	9.22
UNG NE45	18"	9.80
■ Pro Stainless Ste	el Squeegee Handle	
UNG PR00	_	11.98

Golden Clip® Window Squeegees

Professional-quality solid brass squeegee. Clipped channels, coin adjustable screws to hold channel.

No.	Size	Each
■ Complete —With	handle, channel and rubber blade.	
UNG GS30	12"	16.60
UNG GS45	18"	19.38
■ Golden Pro Brass	Squeegee Handle	
UNG GS00		8.46
Brass Channel—	Includes rubber blade and clip.	
UNG GC30	12"	8.46
UNG GC45	18"	11.04

Ⅲ UniTecLite Squeegee

Extra-light squeegee for glass or flat surfaces. Ergonomic handle attaches to all Unger® poles with a press fit. Replaceable soft rubber blade. 12" head. UNG US300 7.28

■ ErgoTec Replacement Squeegee Rubber Blades

For Unger® window squeegees.

No.	Size	Rubber	Each
UNG RT30	12"	Soft	2.46
UNG RT35	14"	Soft	2.76
UNG RT40	16"	Soft	3.10
UNG RT45	18"	Hard	3.36



Unger

A Tele-Plus Pole

Flexible, modular system enables you to assemble pole up to 30 feet in length. Drawn anodized aluminum pole is lightweight and easy and safe to handle, even when assembled to provide maximum reach. Reach higher than 30 feet (pole length + height)! Includes five, 6-ft. long sections. Handle grip is ergonomically designed for comfort. Quick-release locking cone (incl.) snaps into pole; attach a wide selection of tools by press fit, Acme thread or snap-in. UNG TF900

B OptiLoc Tele-Poles

Sturdy extension poles constructed of anodized, extruded drawn aluminum with 3½" nylon locking collars and snap-in threaded cones. Handle grip is ergonomically designed for comfort. Each pole includes an ErgoTec® Locking Cone.

No.	Size	Sections	Each
UNG EZ120	4 ft.	2	29.60
UNG EZ250	8 ft.	2	43.26
UNG EZ400	13 ft.	2	57.92
UNG ED370	12 ft.	3	67.40
UNG ED450	14 ft.	3	74.62
♦UNG ED550	18 ft.	3	89.04
♦UNG ED900	30 ft.	3	123.22

Aluminum Handles

For Unger® floor squeegees and Water Wands (sold separately). All styles feature 1" diameter anodized aluminum handle with fluted finish for strength. Ergonomic grip for a comfortable hold. Convenient hang-up hole.

Pro Aluminum 1.5

56" long. UNG AL140

22.62 Fach

Pro Aluminum Acme

58" long. **UNG AL14A**

22.62

E Pro Aluminum 3.0 Acme Thread with Three-Degree Taper

61" long. UNG AL14T

Each 24.18

Adapters for OptiLoc Tele-Poles

No.	Description	Each
UNG NCAN	ErgoTec® Locking Cone	5.12
G UNG TWA0	Threaded Wood Cone	5.04

■ Water Wand Acme Insert

Easily converts Water Wand Series Floor Squeegees (sold separately) from tapered sockets to Acme compatible sockets for use with tapered or threaded handles. Strong, polymer blend plastic. Each

■ Aquadozer® Squeegee Acme Threaded Insert


Snaps easily into three-degree tapered socket of Aquadozer® Heavy-Duty Floor Squeegees (sold separately) to allow use of Acme threaded handles. Nylon.

UNG FAAI Each 2.30


ProBucket

Heavy-duty 6-gallon bucket with larger footprint for increased stability. Easily fits 18" washer. Rounded pour spouts on two corners for easier, more controlled emptying. Ergonomically designed handle increases comfort, and is stiffer and more stable for balance when carrying. Use with optional snap-on lid and casters or bucket barge (not incl.). Green with black handle.

UNG QB220 Each 42.08



Feeling trigger happy?



Unisan

TRIGGER SPRAYERS

Durable sprayers handle a wide variety of chemicals. Choice of flexible tube lengths.

A Contour™ Series Trigger Sprayers

Ergonomic design fits comfortably in hand. Textured wide grip improves wet or dry handling. Greater output per stroke increases efficiency, reduces cleaning time and user fatigue. Better coverage on mist setting. No leak at cap and bottle.

81/6" Contour Trigger Sprayer —Fits 24 -oz. bottles. UNS 5810-8	Each	1.08
9%" Contour Trigger Sprayer —Fits 32-oz. bottles. UNS 5810-9	Each	1.08
B 7½" General-Purpose Trigger Sprayer Fits 16-oz. bottles.		
UNS 922-7	Each	.96
Standard Trigger Sprayer		
Fits 24-oz. bottles. UNS 5910-8	Each	.96

D 8" Chemical-Resistant Sprayer

Fits 24-oz. bottles. UNS 7210-8	Each	2.12
E 9½" General-Purpose Trigger Sprayer Fits 32-oz. bottles. UNS 922-9	Each	1.16
E 9½" Standard Trigger Sprayer Fits 32-oz. bottles. UNS 5910-9	Each	.96
© 9½" Chemical-Resistant Sprayer Fits 32-oz. bottles.		
UNS 7210-9	Each	2.12

PLASTIC BOTTLES

Mix and dispense concentrated cleaning products. Natural color. Bottles have quantity graduations.

No.	Capacity	Each
⊞ UNS 16	16 oz.	.66
■ UNS 24	24 oz.	.68
J UNS 32	32 oz.	.82



A Atomist™ Electric Sprayer

For stationary, indoor, mist to fog spraying. Applies a wide variety of chemicals, even wettable powders. Won't damage chemical composition. 110-volt electric motor. On/off switch. Output nozzle adjusts from 1.5 to 5.3 gph. Translucent, high-density polyethylene canister; carrying handle. Two-gallon capacity. RLF 1952B

Each 250.92

B 64-oz. Sprayer/Mister

Small, handheld pressurized sprayer/mister with adjustable poly nozzle. Ideal for houseplants and light-duty spraying. Polyethylene with buna seals.

12.40 **RLF 1998TL** Each

G 64-oz. Hand Sprayer

Compact version of standard pressurized sprayer. Adjustable poly nozzle. For use with fertilizers, insecticides and weed killers. Polyethylene with Viton® seals for chemical resistance. **RLF 1985LG** 34.34

INDUSTRIAL TANK SPRAYERS

Industrial-type liquid sprayers with multiple applications: masonry, pest control, carpet cleaning, waterproofing, degreasing. Use with herbicides, insecticides, stain removers, cleaning agents, other chemicals. Not for spray painting.

Standard Sprayers

- Funnel-top sprayers with buna seals
- · All-polyethylene flow control and discharge

White translucent polyethylene tank equipped with poly pump handle, reinforced hose and buna seals. Includes polyethylene extension wand with a poly flat-fan nozzle.

No.	Capacity	Each
RLF 1973	3-Gallon	41.44
RLF 1972	2-Gallon	38.26
RLF 1971	1-Gallon	35.48

■ Commercial-Grade Sprayer

- Funnel-top sprayers with Viton® seals
- · Brass flow control and extension

White translucent polyethylene tank equipped with poly pump handle, pressure relief valve, commercial grade hose, brass discharge system and Viton® seals for maximum chemical resistance. Tank includes brass extension wand with flat-fan nozzle, and carry strap. 3-gallon capacity.

RLF 1963VI 68.04 Fach

■ Acid-Resistant Sprayer

- Straight-neck sprayer with Viton® seals
- · All-polyethylene flow control and discharge
- Can be used for spraying acids

Orange translucent polyethylene tank equipped with poly pump handle, reinforced hose and Viton® seals for maximum chemical and acid resistance. Includes polyethylene extension wand with an adjustable nozzle. 2-gallon capacity. **RLF 1992A** Each 44.40

G Polyethylene Discharge Kit

Includes extension wand and adjustable nozzle. Use for Tank Sprayers RLF 1973, RLF 1972, RLF 1971 and RLF 1992A (sold separately).

RLF 1913PB Each 16.62

■ Brass Discharge Kit

Includes extension wand and flat-fan nozzle. For Tank Sprayer RLF 1963VI (sold separately). **RLF 1910BV** Each

Soft Goods Kit

Replacement parts for Tank Sprayers RLF 1973, RLF 1972, RLF 1971, RLF 1992A and RLF 1963VI (sold separately). RLF 1910SGV Each 11.27

28.12







JohnsonDiversey

A RTD® Water Hook-Up Kit

Designed to connect Super Concentrate RTD® formulas (sold separately) with any standard water supply hose. For use with Render™ III Disinfectant Cleaner DRK 3174575 (sold on pg. 15), Fantastik® All-Purpose Cleaner DRK 3481057 (sold on pg. 21), Mr. Muscle® Kitchen & Floor Cleaner DRK 3719598 (sold on pg. 25), Final Step[™] 512 Sanitizer DRK 3063550 (sold on pg. 25), ElimineX[®] Foaming Drain Cleaner DRK 4266308 (sold on pg. 29), Scrubbing Bubbles® Bathroom Cleaner DRK 3719563 (sold on pg. 30), ALL-IN-ONE H₂O₂ Cleaner DRK 3737681 (sold on pg. 30), Windex® Glass Cleaner with Ammonia-D® DRK 3481049 (sold on pg. 36) and JANITOR IN A DRUM® General-Purpose Floor Cleaner DRK 3719601 (sold on pg. 46). Kit includes instructions, 5-ft. supply hose, female quick-connect with auto stop, male quick-connect and Y-valve. 12 kits per case. DRK 4129080

Unisan

B Metal Pump

Self-priming, chrome-plated pump. Resists chemical action of noncorrosive liquids. Pumps 22 ounces per stroke. For 15-, 30- and 55-gallon drums with 2" openings. **UNS 422** 60.78

G Siphon Drum Pump

Made from polyethylene for 15-, 30- and 55-gallon drums. Red. **UNS 423** 17.72

D Plastic Drum Pump with Pail Adapter

Fits both 3/4" and 2" openings. Includes one pail adapter that snaps onto 5-gallon pails. Pumps 8 ounces per stroke. Pump fits 15-, 30- and 55-gallon drums. 18.88

UNS 428 Each

■ Econo Dispensing Pump

Pumps one ounce per stroke. Cap (38mm) with 103/4" tube length. Ideal for oils and solvents. Fits standard gallon bottles. **UNS 417** Each

"Green cleaning" refers to the use of products and procedures that are more healthful and more environmentally friendly than others serving the same function. The Environmental Standard for Cleaning Services (GS-42) is Green Seal's current standard that specifies green chemicals, supplies and equipment as well as cleaning procedures and mandates employee training and communication with building owners and occupants

GREEN CLEANING PROCESSES

- · Carefully plan and time the chemical cleaning process. Keep a schedule of events and plan to disinfect high-traffic areas and entrances more frequently than those areas where access is limited.
- Identify occupants with special needs and implement a plan sensitive to those needs. For instance, if there are allergies to the chemicals used in cleaning, or any other allergies, be sure to design the cleaning process to avoid exposing occupants. In order to identify effectively, get the word out and invite anyone with concerns to notify the staff of their specific needs.
- Reduce chemical waste by using dilution methods as instructed by the manufacturer, tracking quantities of chemicals used and using appropriate dispensing technology to limit overuse of chemicals.
- Improve indoor air quality by maintaining sufficient outdoor ventilation. Ventilate properly when chemicals are being used in cleaning. Design a ventilation system where airflow is properly reaching the interior of
- Chemicals aren't the only things releasing VOCs. Certain cleaning equipment releases harmful emissions. To reduce the impact of these effects, properly maintain your equipment and/or replace with VOC Compliant ones
- Disinfection should be limited to surfaces where pathogens collect, such as door handles, bathrooms and other high-traffic surfaces where there is much hand contact.

NSF/USDA Classifications

The classifications listed below were formerly approved by the United States Department of Agriculture (USDA) which regulates meat and poultry establishments; these classifications are now issued by the National Sanitation Foundation (NSF), follow the same guidelines and have the same classification codes as the USDA. Products authorized by the NSF/USDA for use in plants operating under the federal meat and poultry program are classified according to where or how they may be used. The following summarizes brief definitions of NSF/USDA classifications that are associated with products in this catalog.

Employees who handle edible products may use compounds only when leaving the plant.

- A1 For use as general cleaning agents on all surfaces, or for use with steam or mechanical cleaning devices in all departments.
- A4 Floor and wall cleaners for all departments.
- A6 Scouring cleaners.

- A7 Metal cleaners and polishers for nonfood contact surfaces.
- A8 Degreasers or carbon removers for food cooking or smoking equipment, utensils or other associated surfaces. No food contact.
- **B1** For laundering fabrics that come into contact with meat or poultry products, directly or indirectly.
- C1 For use on all surfaces in processing areas for inedible products, nonprocessing areas and/or exterior areas.
- Compounds for use in toilets and/or dressing areas.
- D1 Antimicrobial agents, always requiring a rinse.
- D2 Sanitizers for all surfaces, not always requiring a rinse.
- **E2** Hand washing and sanitizing compounds.
- **E4** Hand creams, lotions and cleaners. Use is limited to toilet and dressing rooms.
- **F1** Nonresidual pesticides. For use in all departments.

- F2 Residual pesticides. For use in inedible product areas only.
- G7 Compounds for treating boilers, steam lines and/or cooling systems where neither treated water nor the steam produced may contact edible products. This does not include compounds added to water used to cook and cool containers of meat and poultry products.
- H1 Lubricants with incidental food contact.
- H2 Lubricant, release agent, or antirust film on equipment and machine parts in locations in which there is no possibility of the lubricant or lubricated part contacting edible products.
- K1 Cleaning and/or degreasing solvents for use in nonprocessing areas.
- K2 Solvents for cleaning electronic instruments.
- L1 Compounds for use in sewage and/or drain lines.
- L2 Enzymatic compounds for use in sewage and/or drain lines.
- P1 Miscellaneous. See individual letter for specific authorized uses.

■ Dilution Chart

Use this chart as a guideline for diluting the products sold in this catalog. 1:x means 1 part concentrate to x parts water. For example, to make a quart of solution in a 1:15 dilution, mix 2 oz. of concentrate into 30 oz. of water. (NOTE: To minimize foaming, fill the container with water before adding the concentrate. Then stir thoroughly.)



24-oz. Spray Bottle



Quart



Gallon



CONVERSION CHART



Five Gallons

CONCENTRATE NEEDED TO MAKE THE FOLLOWING AMOUNTS OF SOLUTION

DILUTION RATIO	24-oz. Spray Bottle	Quart	Gallon	5 Gallons
1:4	4¾ oz.	6½ oz.	25½ oz.	128 oz. (1 Gallon)
1:10	2¼ oz.	2 ½ oz.	11½ oz.	59 oz.
1:12	1¾ oz.	3 oz.	10 oz.	50 oz.
1:15	1½ oz.	2 oz. (¼ Cup)	8 oz. (1 Cup)	40 oz.
1:20	1 oz. (½ Cup)	1½ oz.	6 oz. (¾ Cup)	31 oz.
1:32	³⁄₄ oz.	1 oz. (½ Cup)	4 oz. (½ Cup)	20 oz.
1:40	3∕5 oz .	½ 0Z.	3 oz.	16 oz. (1 Pint)
1:50	½ oz.	³ ∕₅ OZ.	2½ oz.	13 oz.
1:64	⅓ oz.	½ oz.	2 oz. (¼ Cup)	10 oz.
1:128	⅓ oz.	1⁄4 OZ.	1 oz. (1/8 Cup)	5 oz.
1:256	½10 OZ .	⅓ oz.	½ oz.	3 oz.