

Acme United



A First Aid Refill Pack

Contains ten most frequently used products (94 pieces): 1" x 3" adhesive bandages, knuckle bandages, fingertip bandages, sterile gauze, antiseptic wipes, sting relief wipes, ice pack, burn ointment, nonstick pads and tape. Shpg. wt. 4 lbs. ACE 40001

Each 30.84

PAIN RELIEVERS

- Packaged for individual use and to replenish first aid stations and kits
- Handy box dispenses single-dose packets

No.	Packs/ Box	Box
B Motrin® IB —2 tablets per pack. ACE 13367	50	50.68
C Excedrin® Extra-Strength —2 tablets per pack. ACE 13248	50	47.62
D Tylenol® Extra-Strength —500 mg. 2 caplets per pack. ACE 40900	50	44.74
E Bayer® Aspirin —2 tablets per pack. ACE 12408	50	33.58
F Advil® Tablets —2 tablets per pack. ACE 15000	50	47.70

3M

3M

G Nexcare™ Active™ Flexible Foam Bandages

Unique flexible foam strip conforms, stretches and bends, even around fingers, knuckles, knees and elbows. Advanced, water-resistant adhesive offers extra sticking power—even on damp skin; seals around pad to keep out dirt and other contaminants. Soft, absorbent nonstick pad. 30, 1 x 3 size bandages per box. MCO 512-30

Box 6.00

H Nexcare™ Waterproof Bandages

Healthcare-proven adhesive sticks in moist conditions, yet removes easily with virtually no residue. Unique shape provides superior waterproof protection. Adhesive seals around nonstick pad to provide optimal healing environment; helps prevent infection. Ultra-thin, breathable material bends and flexes. Clear. 30 assorted size bandages per box. MCO 588-30

Box 6.00

Relief is on the way!



Invented by...

Earle Dickson was employed as a cotton buyer for the Johnson & Johnson when he invented the band-aid in 1921. His wife Josephine Dickson was always cutting her fingers in the kitchen while preparing food. At that time a bandage consisted of separate gauze and adhesive tape that you would cut to size and apply yourself. Earle Dickson noticed that gauze and adhesive tape she used would soon fall off her active fingers. He decided to invent something that would stay in place and protect small wounds better.





Rubbermaid Commercial Products

LADDER CARTS

Three-section cart adapts to worksite requirements. Centrally located, stepped-down ladder platform carries up to 6-ft. ladder without hitting walls, doorways or elevators. Unique vertical profile offers higher worksurface height for improved ergonomics. Can be assembled for transporting long items. Square footprint offers optimal maneuverability. Shelves feature molded-in tool and pipe holders. Molded-in handles. Powder coated steel and structural foam construction. 5" casters (two locking). 500-lb. capacity. Black/Red.

A Ladder Cart with Open Ends

Seven shelves, plus ladder platform and organizer tray for increased storage capacity. 27w x 31½l x 42h. Shpg. wt. 69 lbs. Each 607.02
RCP 9T57 BLA

B Ladder Cart with Cabinet

Lockable storage for safety and security (lock not incl.). Three shelves on one end, storage cabinet on the other. Also features ladder platform and organizer tray. 27w x 31½l x 42h. Shpg. wt. 99 lbs. Each 795.72
RCP 9T58 BLA

C Folding Two-Step Step Stool

Sets up quickly; folds down to slim depth for storage in tight spaces and convenient transport. Slip-resistant surfaces on steps and foot pads. Rust- and dent-resistant reinforced polypropylene cleans easily. Skid-resistant feet. Supports 300 lbs. Cylinder color. Open: 18"aw x 21d x 22"sh. Folded: 18"aw x 5"sd x 25h. Shpg. wt. 6.93 lbs. Each 40.60
RCP 4209 CYL

D Mobile Two-Step Step Stool

Push stool into position, step on it, and casters instantly retract. Antiskid bottom holds firmly. Textured step surface. Supports 350 lbs. Plastic. 16 dia. (at base) x 13h. Shpg. wt. 7 lbs.

No.	Color	Each
RCP 2523 BLA	Black	88.96
RCP 2523 BEI	Beige	88.96

Items with this symbol require assembly.



A

Cart can be assembled for long item transport.



B

Lockable storage.



C



D



Nothing is ever out of reach...



Davidson



A #624 Folding Fiberglass Three-Step Step Stool

For electricians, light institutional and frequent household use. Nonconductive green fiberglass rails with yellow aluminum top cap. 3" serrated steps, slip-resistant foot caps. Pinch-resistant side locks. ANSI Type II, Commercial, 225-lb. duty rating. UL Compliant. 17w x 22 spread x 24h. Shpg. wt. 7 lbs. DAV 624-02BX

Each 110.50

B #566 Aluminum Euro Platform Ladder

For household use. Locking 36" high platform provides large standing area. Top rail for safety and convenience. Deeply serrated extruded aluminum steps for security. Slip-resistant foot caps. ANSI Type III, Household, 200-lb. duty rating. 18" w x 31 spread x 60h. Shpg. wt. 9 lbs. DAV 566-03BX

Each 115.34

- All ladders meet or exceed ANSI and OSHA safety codes
- Select ladder of proper duty rating to support combined weight of user and materials
- **WARNING:** Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits

C #560 Steel Qwik Step™ Platform Ladder

Qwik Step™ feature for opening ease. Lightweight yet sturdy. Folds flat to only 2" deep. Loop top handrail, steel legs and serrated steps. Top step is 24" high. ANSI Type III, Household, 200-lb. duty rating. 16" w x 19½ spread x 41h. Shpg. wt. 9 lbs.

No.	Color	Each
DAV 560ALBX	Almond	48.92
DAV 560WHBX	White	48.92

D #592 Six-Foot Fiberglass Commercial Stepladder

Channeled nonconductive fiberglass rails for strength and corrosion resistance. Deeply serrated U-channel 3" steps. Angle bracing strengthens and stabilizes top step, bottom step and rear brace. Yellow molded plastic top holds quart paint can and has slots for small hand tools. Pinch-resistant, heavy-gauge outside side locks. ANSI Type II, Commercial, 225-lb. duty rating. 22" w x 43½ spread x 72h. Shpg. wt. 16 lbs.

◆ DAV 592-06BX

Each 183.08



Multiple Application Convertible Cart



Platform Truck



Two-Shelf Cart



Flat Storage



CONVERTIBLE CART

Two Highly Productive Solutions in One

The 4300 Convertible Cart's highly innovative, patent-pending design bundles the multi-functional capabilities of a Heavy-Duty Utility Cart and a Light Commercial Platform Truck into a single, extremely versatile product.

Effortless Conversion to Three Positions

Simple push button and foot pedal conversion points allow for effortless transformation. The simplicity of conversion minimizes costly back injuries and workers' comp claims. Conversion down to a fully collapsed state provides for easy transport and storage.

Designed for Maximum Efficiency

This material handling solution is sure to become one of your hardest working efficiency tools. The extended lower shelf aids in improved loading and provides added carrying capacity. And, the 4300 Convertible Cart's sleek design looks great in any setting.

Use One Cart for Multiple Tasks

The weight capacity as a Utility Cart is 400 pounds. As a Platform Truck, the weight capacity is 250 pounds. The dimensions and weight loads are simply perfect for the vast majority of relevant everyday commercial use.

Storage & Material Handling

Material Handling

Storage





Rubbermaid Commercial Products

SCRAPERS

Carbon steel blade is heat-treated for maximum strength. Clear, corrosion-resistant, polished coating protects blade. Comfortable contoured handle.

A Scraper with 3" Wide Blade

RCP 9H15 Each 7.52

B Scraper with 1.5" Wide Blade

RCP 9H16 Each 5.92

Great Neck



C Putty Knife

Plastic handle. Stiff 1¼" wide blade. GRE 15PKS Each 2.38



Quality Tools for Smart Cleaning

Unger

D ErgoTec® SafetyScraper

Ergonomic, nonslip rubber grip makes scraping easier and more comfortable. Unique locking system stops blades from sliding out during use. Push the nonslip trigger forward and blade is ready for use; push again to easily change the blade.

No.	Description	Qty./Unit	Unit
UNG SR040	Scraper	50/Case	3.22
UNG SRB10	#9 Blades	100/Box	19.40

E ProTrim10 Scraper

Lightweight glass scraper removes heavy dirt, mortar, glue, stickers, etc. Innovative design perfectly fits in your hand and pocket. Nonslip material is ideal for use in cold, wet conditions. Integrated blade guard locks open or closed for safe storage—no need for a separate blade cover. Quickly open scraper with unlock button for safe, easy blade change. Includes double-edged 4" wide carbon steel blade. Replacement blades are also double-edged carbon steel.

No.	Description	Qty./Case	Case
UNG TX100	Scraper	10	7.82
UNG TR100	4" Replacement Blades	250	12.50

F The Brute Scraper

The 12" aluminum handle allows two-handed use for added pressure on tough scraping jobs. Includes 4" wide carbon steel blade with blunt edge for cement or stucco work and razor edge for scraping paint and tape. Replacement blades are also double-edged (blunt/razor) carbon steel.

No.	Description	Each
UNG SH25C	Scraper	20.96
UNG RB10C	4" Replacement Blades*	9.30


*Ten replacement blades per dispenser

G Heavy-Duty Floor Scraper

Excellent for removing carpets, tile and adhesives. Angled 8" wide scraper head allows for quick work in large areas and close work along walls. Strong, steel telescopic handle with comfortable rubber grip extends from 3 ft. to 5 ft. Durable, nonslip cam locking system. Includes one 8" carbon steel blade with blunt and razor edges. Replacement blades are also dual-edged (blunt/razor) for different floor surfaces.

No.	Description	Each
UNG HDSC	Floor Scraper	83.04
UNG HDSB	8" Replacement Blades*	28.40


*Ten replacement blades per dispenser



NEW



Replacement blades sold separately.



It's always good to be the sharpest tool in the shed!

Rubbermaid Commercial Products



UTILITY KNIVES & BLADES

Bi-metal Irwin blades stay sharp three times longer than ordinary blades and are unbreakable under normal working conditions. Smooth, durable, three-position slide exposes variable blade lengths, and stands up to frequent use. Optimized cutting angle for reduced hand fatigue. Push-button offers easy access to interior blade storage—holds up to five replacement blades.

A Standard Retractable Utility Knife

RCP 9H05 **Each 6.76**

B Quick Change Retractable Utility Knife

Quick change mechanism lets you easily change, remove and reverse blades without opening the knife.
RCP 9H06 **Each 15.72**

C Self-Retracting Safety Utility Knife

RCP 9H07 **Each 9.12**

Blade Dispenser with Refills—(Not shown.) Includes 50 blades.

RCP 2084300 **Each 18.00**

Safety Blade Dispenser with Refills—(Not shown.) Includes 50 blades.

RCP 2088300 **Each 20.28**



Stanley Bostitch



D Quick Change Utility Knife

Fully retractable blade for safety. Built-in twine cutter. Includes one blade. 6 knives per box.
BST 10-499 **Box 63.22**

X-Acto



E Replacement Blades

Fits BST 10-499 (sold separately). 15 blades per pack.
HNT X492 **Pack 10.08**

San Jamar



F Klever Kutter™

Disposable safety cutter prevents costly injuries and damage to products. Patented design features a recessed blade that virtually eliminates injuries. Prevents damage to carton contents by allowing only a minimal portion of the blade to penetrate the carton surface. Dual stainless steel blade lasts twice as long as typical single-blade cutters. Eliminates the need to change blades. Ergonomic contour design with molded ridges fits perfectly in any hand and ensures a secure grip. NSF Listed and dishwasher safe. High-density plastic with stainless steel blade. Red color provides visibility in cluttered environments. 3 cutters per pack.
SAN KK403 **Pack 11.24**



Cosco



G Jiffi-Cutter

The economical choice for light-duty cutting jobs. Fully retractable blade for safety. Each cutter includes one blade. 12 cutters per box.
CSD 091460 **Box 10.36**



Stanley Bostitch



H Powerlock® II Power Return Rule

With blade lock. Blade remains rigid up to seven feet. Chrome case, belt clip. 1" wide x 25 ft.
BST 33-425 **Each 39.22**





Great Neck



A 16-Piece Light-Duty Office Tool Kit

Includes a 16" metal box with hammer, two screwdrivers (Phillips head and standard), slip joint pliers, adjustable wrench, 10-ft. rule, retractable utility knife, razor scraper and seven-piece hex key set. Manufacturer's lifetime warranty.
GRE CTB9

Each 41.64



Rubbermaid Commercial Products



B Industrial 26" Tool Box

Sturdy polypropylene structural foam construction won't rust, dent or peel. Removable tray for added compartmentalized storage. Metal 26" tool box latches open and close easily, even with a gloved hand. Recessed contoured handle for convenient stacking. Can be padlocked for security (lock not incl.). Black.
RCP 7802 BLA

Each 92.34

C Closet Organizer/Tool Holders

S-hooks hold items 5/8" to 1 1/4" diameter. Deep double hooks for accessibility. Clip holder for work notes and instructions. Carry sling stores and transports hoses and extension cords. Wall mount. Gray.


34" Length—Three S-hooks, two double hooks, clip holder. Carry sling fits on double hook.
RCP 1993 GRA

Each 55.86

18" Length—Two S-hooks, one double hook.

RCP 1992 GRA

Each 35.12



Quality Tools for Smart Cleaning

Unger

D Hold Up Aluminum Tool Rack

Open top design allows tools to hang at various heights. Rubber fingers firmly grasp different size handles. Front hooks hold more tools. Wall mount.

No.	Length	Each
UNG HU45	18"	42.56
UNG HU90	36"	74.18

E The Nifty Nabber

Gear driven claws grab bottles, cans and debris; overmolded "fingers" provide excellent gripping power—pick up cigarette butts and small objects with ease.

No.	Size	Each
UNG NN40	18"	35.32
UNG NN90	36"	39.34
UNG NN14	51"	43.64


F People's Paper Picker Pin

Durable, lightweight steel body with replaceable pin plug. Ideal for picking up paper, debris and cans without bending. 42" long.

No.	Description	Each
UNG PPPP	Paper Picker Pin	19.96
UNG PINP	Replacement Pin Plug	7.52



Orderly tool storage and improved access increase productivity.





Rubbermaid Commercial Products

A Utility Trucks

Provides quick and easy mobility for all types of jobs. Single-step sidewall design features reinforcing band to increase wall strength and prevent bowing; also allows nesting for compact storage. Heavy-duty, all-metal frame. Rugged, smooth-rolling casters. NSF/USDA Approved for use in food processing applications. Black.

No.	Capacity/ Cubic Ft.	Size (L x W x H)	Shpg. Wt.	Each
◆RCP 4712 BLA	800 lb./12	43¼ x 28 x 33¾	62 lbs.	663.73
◆RCP 4716 BLA	1,000 lb./16	44¾ x 31 x 38¼	75 lbs.	795.46

B Cube Trucks

Metal frame design provides durable support for commercial waste collection. Also ideal for commercial or institutional laundry handling. NSF/USDA Approved for use in food processing applications. Black.

No.	Capacity/ Cubic Ft.	Size (L x W x H)	Shpg. Wt.	Each
◆RCP 4608 BLA	300 lb./8	38 x 26 x 28½	36 lbs.	385.10
◆RCP 4612 BLA	400 lb./12	42¾ x 28 x 33	40 lbs.	504.10
◆RCP 4614 BLA	500 lb./14	44¾ x 31 x 32½	47 lbs.	562.45
◆RCP 4616 BLA	500 lb./16	43¾ x 31 x 37	51 lbs.	613.09
◆RCP 4619 BLA	600 lb./20	48 x 34½ x 36½	60 lbs.	722.00

C Cube Truck Lids

Domed, hinged lid conceals loads without affecting capacity. Black.

No.	For RCP Model	Shpg. Wt.	Each
◆RCP 4609 BLA	4608, 4708	13.5 lbs.	193.80
◆RCP 4613 BLA	4612, 4712	14.3 lbs.	210.90
◆RCP 4615 BLA	4614, 4616, 4716	17.2 lbs.	228.00
◆RCP 4617 BLA	4619, 4720	18.8 lbs.	245.10

D Spring Platform Cube Truck

Metal frame design provides durable support for commercial waste or laundry collection up to 500 lbs. or 14 cubic feet. Features a spring platform that brings contents to a convenient working level. The platform is covered with easy-to-clean plastic laminate; spring assembly covered by protective heavy-duty white vinyl. NSF/USDA Approved for use in food processing applications. Black. 44¼ l x 31w x 32½h. Shpg. wt. 60 lbs.

◆RCP 4611 BLA **Each 752.37**

E Structural Foam Tilt Trucks

For general refuse collection and light to medium materials handling. Fits through standard commercial doorways and onto elevators easily. Inset, mark-resistant casters roll smoothly over thresholds and rough surfaces. Black. ¾ cubic yard, 64½ l x 30¼w x 38h.

No.	Capacity	Shpg. Wt.	Each
◆RCP 1011 BLA	600 lb.	92 lbs.	904.37
◆RCP 1013 BLA	1,000 lb.	101 lbs.	1064.03



Invented by...



Chuko Liang (181-234 A.D.) of China is considered to be the inventor of the wheelbarrow. Liang was a general who used the wheelbarrow to transport supplies to injured soldiers. The Chinese wheelbarrow had two wheels and required two men to propel and steer.



Why chance it? Lock it up!

Master Lock

Master Lock.

A Four-Pin Tumbler Padlock

Maximum security. Laminated steel body. Hardened steel shackle resists cutting, sawing. Includes two keys. 1½" width. MAS 3D

Each 11.04

B Twin Brass Three-Pin Tumbler Padlocks

Secure, compact protection for briefcases, cash boxes, storage cabinets. ¾" body width. Two locks, two keys per pack; keys match both locks. MAS 120-T

Pack 6.56

C Combination Lock

Three-number dialing. Black dial. 1¼" body width. MAS 1500D

Each 7.86



PM Company

D Wrist Key Coil

Allows easy and quick access to keys. Flexible plastic for wrist comfort. Includes steel key ring. Black. PMC 04995

Each 2.38



Avery

E Metal Rim Key Tags

Four-color assortment. Card stock center for write-on convenience. 1¼" dia. 50 tags per pack. AVY 11-026

Pack 8.32

Advantus

F Call Bell

Clear tone, brushed nickel finish. 3¾" dia. ADV CB10000

Each 6.38



Keep on truckin'...

Rubbermaid Commercial Products



A Tilt Trucks

Specially made to handle bulky, medium- to heavyweight materials. Sturdy, plastic construction. Easy to maneuver and dump contents. Wheels and axle are inset to prevent damage to interior surfaces and equipment. Black. (Optional lids, for ½ and 1 cubic yard capacities, sold separately.)

No.	Capacity	Size (L x W x H)	Shpg. Wt.	Each
½ Cubic Yard				
◆RCP 1304 BLA	450 lbs.	56¾ x 28 x 38¾	62 lbs.	721.99
◆RCP 1305 BLA	850 lbs.	60½ x 28 x 38¾	77 lbs.	1038.68
◆RCP 1306 BLA	1,400 lbs.	60½ x 28 x 38¾	88 lbs.	1210.93
1 Cubic Yard				
◆RCP 1314 BLA	850 lb.	72¼ x 33½ x 43¾	111 lbs.	975.33
◆RCP 1315 BLA	1,250 lb.	72¼ x 33½ x 43¾	111 lbs.	1335.03
◆RCP 1316 BLA	2,100 lb.	72¼ x 33½ x 43¾	120 lbs.	1540.25
2 Cubic Yard				
◆RCP 1035 BLA	1,900 lb.	81¼ x 46¾ x 50	216 lbs.	3072.91

B Forkliftable Tilt Truck

Industrial-strength, rotational molded construction transports heavy loads with ease. Heavy-duty welded fork pockets allow for easy transportation by forklift. Compatible with 42" or 48" long forks. Easy to maneuver and dump contents; constant force design allows for controlled dumping by one person. Inset wheels prevent damage to interior surfaces and equipment. Smooth surface is easy to clean and resists pitting and corroding. Black. 1,250-lb. x 1 cubic yard capacity. (Optional lid sold separately.) 72¼ x 33½w x 43¾h. Shpg. wt. 124 lbs. ◆RCP 1315-42 BLA **Each 1301.92**

C Tilt Truck Lids

Domed, hinged lid conceals loads without reducing capacity. Black.

No.	For RCP Model	Shpg. Wt.	Each
◆RCP 1307 BLA	1304, 1305, 1306	23.3 lbs.	176.72
◆RCP 1317 BLA	1314, 1315, 1315-42, 1316	24 lbs.	240.52

D Tilt Trucks

Sturdy, plastic construction. Smooth and seamless, one-piece molded truck bodies with reinforced lip are rounded and easy to clean. 4" center swivel back caster provides easy maneuvering. Durable, one-piece, 10" blow-molded polypropylene wheels offer low maintenance and protect surroundings. Powder coated steel frame for corrosion resistance. Black.

No.	Capacity	Size (L x W x H)	Shpg. Wt.	Each
½ Cubic Yard				
◆RCP 9T17 BLA	300 lb.	56¾ x 28 x 38¾	46.3 lbs.	574.56
1 Cubic Yard				
◆RCP 9T18 BLA	600 lb.	72¼ x 33½ x 43¾	98.6 lbs.	784.32

E Big Wheel™ Utility Cart

Heavy-duty structural foam construction hauls up to 300 lbs. Durable, one-piece tub construction. Reinforced ribbing provides added impact resistance. Smooth, easy-to-dump, easy-to-clean pan. Level capacity 7½ cubic feet. Comfortable, molded, structural foam handles. Steel axle and large 20 x 2¼ wheels with pneumatic tires. Black. 32¾w x 57¼d x 28¼h. Shpg. wt. 45 lbs. ◆RCP 5642 BLA **Each 405.33**



Center hinge lets lid open from either end.



Compatible with forklifts.



Fun fact...



A 40-lb. utility truck can hold up to 500 lbs. on average.





A



B



C



D

E

F

When you need a jolt, we've got the volts!

Innovera



A Alkaline Batteries

Trusted, high-quality alkaline batteries that deliver superior capacity in all of your general use electronic devices.

No.	Size	Pack Qty.	Pack
INO 11124	AAA	24	6.74
INO 11024	AA	24	6.96
INO 22012	C	12	11.96
INO 33012	D	12	16.36
INO 44004	9V	4	6.44

Energizer



B Energizer® Alkaline Batteries

No.	Size	Pack Qty.	Pack
ENE E92FP-12	AAA	12	18.54
ENE E91BP-8	AA	8	13.04
ENE E93FP-8	C	8	23.36
ENE E95FP-8	D	8	23.36
ENE 522FP-4	9V	4	23.36

C Energizer® Industrial Alkaline Batteries

No.	Size	Pack Qty.	Pack
ENE EN92	AAA	24	18.62
ENE EN91	AA	24	17.20
ENE EN93	C	12	15.40
ENE EN95	D	12	18.98
ENE EN22	9V	12	33.30

Rayovac



- Bright yellow, nonroll case
- Manufacturer's full lifetime warranty

D Industrial Lantern

Combines the power of a lantern with flashlight convenience. "Toolbox tough" lantern has an adjustable stand for handsfree use. Long-range beam. Rubber protected body, push-button switch. Uses krypton bulb; includes spare bulb holder and 4D adapter. Accepts 6V lantern battery for additional power. Batteries not included.
RYV KFL **Each 20.86**

E Swivel-Lite Handsfree Flashlights

90° or 360° swivel head puts light exactly where you need it. Sure-grip handle clips onto belt or visor. Batteries included.

No.	Batteries/Size	Each
RYV ISL2D-B	Two D	16.42
RYV ILJ2AA-B	Two AA	14.18

F Industrial Tough Flashlight

Case is gas-, grease-, chemical- and water-resistant. Ergonomic switch and grip. Includes ring hanger and spare bulb holder. Uses two D batteries. Batteries included.
RYV I2D-B **Each 13.42**





A



C



D



Rubbermaid Commercial Products

PLATFORM TRUCKS

A Heavy-Duty Platform Trucks

Structural foam platform with tough honeycomb construction supports heavy loads and won't rust, dent or splinter. Removable, black powder coated steel handle has two cross braces to keep materials on deck. Four casters, two swivel. Black.

No.	Capacity	Shpg. Wt.	Each
36 x 24 Platform			
◆RCP 4406 BLA	1,000 lb.	63 lbs.	699.19
48 x 24 Platform			
◆RCP 4433 BLA	500 lb.	70 lbs.	643.47
◆RCP 4436 BLA	1,000 lb.	78 lbs.	757.44
60 x 30 Platform			
◆RCP 4461 BLA	500 lb.	87 lbs.	858.81
◆RCP 4466 BLA	1,000 lb.	88 lbs.	912.02
◆RCP 4471 BLA	2,000 lb.	101 lbs.	1152.68

B Home and Office Carts

Three-position handle moves upright for pushing, angles for pulling or folds flat for use as a dolly or for storage. Structural foam platform won't rust, dent or bend. 500-lb. capacity model has ergonomic handle for easier movement and 5" dia. casters for extra stability. Nonskid platform is 20% x 31% (35% with handle flat). Four nonmarking casters, two swivel. Black.

No.	Capacity	Shpg. Wt.	Each
Utility Duty —(Not shown.)			
RCP 4400 BLA	250 lb.	21 lbs.	159.20
Standard Duty			
RCP 4401 BLA	500 lb.	25 lbs.	191.64

Items with this symbol require assembly.



B

Handle folds flat for use as a dolly.



E

Use as a two-wheel hand truck or a four-wheel platform truck with two swivel casters.

Wesco



STEEL HAND TRUCKS

• Heavy-gauge welded tubular steel frames

Two-Wheel Hand Trucks

Large 7 x 14 beveled steel toe plate for big loads. 500-lb. capacity. Steel stair glides. 10 x 2 3/4 solid rubber tires. Green enamel finish.

No.	Overall Size	Shpg. Wt.	Each
C Continuous Handle			
WES 656Z2	21 3/4w x 49h	34 lbs.	319.22
D Loop Handle			
WES 626DZ2	21 3/4w x 50 1/2h	34 lbs.	325.82

E Two-Way Convertible Truck

Converts easily from a two-wheel, 400-lb. capacity hand truck to a four-wheel, 500-lb. capacity platform truck. 7 x 14 beveled steel nose plate. Two 10 x 2 3/4 solid rubber tires, two 5" swivel casters. Green enamel finish. Overall 20w x 48h. Shpg. wt. 38 lbs.

WES 65621Z2 **Each 420.14**

Did you know...???

A hand truck is commonly known as a "Stack Truck" or as a trolley or sack truck in the United Kingdom. Hand trucks are sometimes used as baggage carts by porters in train stations. A dolly is comparable to a hand truck.



Shed a little light on the situation.



General Electric

• Quality from the worldwide industry leader

A Incandescent Light Bulbs

General purpose, soft white. 4 light bulbs per pack; 12 packs per case.

No.	Watts	Description	Case
GNL 41028	60	60A19/SW	77.38
GNL 41032	75	75A19/SW	77.38
GNL 41036	100	100A19/SW	77.38

B Incandescent Indoor Floodlight, Reflector

65 watts, 120 volts, #65RFLMI. One bulb per package.
GNL 20331 **Each 11.20**

Fluorescent Tubes

No.	Watts	Description	Qty./Unit	Unit
C 18" Tube				
GNL 10143	15	F15T8CW	6/Pack	52.30
D 24" Tube, Cool White				
GNL 80046	20	F20T12CW	6/Carton	54.32
E 48" Tube, Cool White Energy Saver, Low Mercury —For commercial use only.				
GNL 21858	34	F40T12CW/ES	6/Pack	75.58
F 24" U-Shaped Tube				
GNL 12203	40	F40CW/U/6	12/Carton	248.24

Supreme Extralife



Fluorescent Tubes

• Manufacturer's warranty against early failure
Manufactured to last longer. 30 tubes per carton.

No.	Watts	Description	Carton
G 48" Tube, Cool White Energy Saver, Low Mercury —For commercial use only.			
SUP 30531	34	F34T12CW/ES	137.92
H 48" Tube, Cool White Deluxe —Works in both commercial and home style fixtures.*			
SUP 30563	40	F40T12CX	129.86

*Home style fixtures can overheat and pose a fire hazard if wrong tube is used

Note: All bulbs listed conform to, or are exempt from, the most recent Federal Epact Legislation.



Unger

I Bulb Changer Kit

The easy way to change most hard-to-reach bulbs. Contains everything you need to change bulbs safely and quickly from the ground. Pack includes FloodSucker Bulb Changer, StickyFingers bulb changer and 11-ft. telescopic extension pole. 3 packs per case.
UNG BCK03 **Case 64.74**

J FloodSucker Bulb Changer

Fully insulated bulb changer for use on floodlights and bulbs 300 watts and larger. Use with Unger® extension pole (sold separately).
UNG FS00 **Each 24.96**



Fun fact...



Thomas Edison, light bulb inventor, was scared of the dark. When asked once if he were afraid of anything he replied, "I am afraid of the dark." Thomas Edison died on October 18, 1931, with all the lights burning in his New Jersey home.

Facility Maintenance & Safety





Locking bar provides security and holds drawers in place.

A



B



Lockable cabinet.

C

Rubbermaid Commercial Products



A Five-Drawer Mobile Workcenter

Heavy-duty worksurface supports up to 250 lbs. Five storage drawers for tools, supplies and more. Tabletop bins keep small parts within reach. Built-in cord wrap allows neat storage of power tools or work lights. Locking bar. Polypropylene. Four swivel casters (two locking). Black/Red. 32.6w x 19.8d x 33.5h. Shpg. wt. 76.3 lbs.

◆RCP 7734 BLA

Each 458.28

TRADES CARTS

Perfect for facility maintenance work. Structural foam construction. Ergonomic top surface provides a handy work area for items weighing up to 180 lbs. Bottom shelf holds up to 150 lbs. Total cart capacity 450 lbs. (including drawers). Four removable parts boxes for assorted parts and hardware. Two storage drawers hold supplies. Molded-in, wraparound handle features storage bin for small tools and parts. Mounting bracket serves as cord wrap or holds wastebasket. 5" nonmarking swivel casters (two locking). Black. 38w x 19¼d x 33¾h.

B Trades Cart

Two shelves. Shpg. wt. 50.3 lbs. ☒ RCP 6180 BLA

Each 456.93

C Trades Cart with Locking Cabinet

Fully enclosed, lockable storage compartment keeps costly tools and sensitive materials secure. Shpg. wt. 68 lbs. ☒ RCP 6180-88 BLA

Each 644.02

☒ Items with this symbol require assembly.



Facility Maintenance & Safety

Office Tool Kit

16-Piece Light-Duty Office Tool Kit
See page 258



Great for cables and wires.



A



Memory keys to store labels.

B

You name it...

Brother



A PT-1400 Industrial/Commercial Handheld Labeler

Ideal for telecommunication and asset management applications. Uses flexible ID tape and rotated print for cable wrapping and flagging; extra-strength laminated tape for patch panel labeling; standard laminated tape for faceplate labeling. Creates labels from 1/4" to 1" wide with graphics and bar codes; prints up to seven lines using six styles, eight sizes and one font. 180 dpi resolution. Memory function stores frequently used labels. Auto sizing, sequential numbering and repeat printing style for fast labeling. Easy-entry keyboard and large LCD display. Manual cutter. Auto power-off plus battery operation for on-the-go use. Includes one 3/8" black-on-white TZ tape, one 1/2" black-on-white extra-strength TZ tape, six AA batteries, wrist strap and tape separator. Manufacturer's one-year limited warranty. 3 3/8" x 9 3/4" d x 4 1/2" h.

BHR PT-1400

Each **225.26**

B PT-1280 Affordable Personal Labeler

Economical TZ labeler. Small enough to be a handheld, with desktop labeler features. Makes labels from 1/8" to 1/2" wide. Prints up to two lines on a label, depending on label width, or one line up to 22 pt. on 1/2" tape. Three favorite/memory keys. Offers 63 built-in symbols, 15-character LCD display, navigation pad for easy text entry, three type sizes and nine type styles. Includes one 1/2" black-on-white laminated TZ starter tape. Uses six AAA batteries (sold separately). 6 3/8" w x 6 d x 2 1/2" h.

BHR PT-1280

Each **87.10**

TZ SERIES STANDARD TAPE CARTRIDGES

Laminated, adhesive back. 26.2-ft. length.

No.	Color	Each
1/2" Wide Tape for all TZ Label Makers		
BHR TZ-231	Black on White	22.90
1" Wide Tape for PT-520, 530, 540, 550, 580C, 1400, 1500PC, 1600, 1650, 2200, 2210, 2300, 2310, 2400, 2410, 2500PC, 2600, 2610, 3600, 9200DX/PC, 9400, 9500PC & 9600 only		
BHR TZ-251	Black on White	31.40

TZ SERIES EXTRA-STRENGTH TAPES

Laminated. Double-strength adhesive ideal for harsh environments and textured surfaces. 26.2-ft. length.

No.	Color	Each
1/2" Tape for all TZ Label Makers		
BHR TZS-231	Black on White	25.52
1" Tapes for PT-520, 530, 540, 550, 580C, 1400, 1500PC, 1600, 1650, 2200, 2210, 2300, 2310, 2400, 2410, 2500PC, 2600, 2610, 3600, 9200DX/PC, 9400, 9500PC & 9600 only		
BHR TZS-251	Black on White	34.74
BHR TZS-651	Black on Yellow	34.30

FLEXIBLE TZ SERIES EXTRA-STRENGTH TAPES

Special adhesive for bending, wrapping and flagging. Perfect for rounded edges, electrical wiring, audio/video cables and textured surfaces. 26.2-ft. length.

No.	Color	Each
1/2" Tape for all TZ Label Makers		
BHR TZF-X231	Black on White	25.80
1" Tape for PT-520, 530, 540, 550, 580C, 1400, 1500PC, 1600, 1650, 2200, 2210, 2300, 2310, 2400, 2410, 2500PC, 2600, 2610, 3600, 9200DX/PC, 9400, 9500PC & 9600 only		
BHR TZF-X251	Black on White	34.30

Brother® P-Touch® laminated labels have been tested for chemical, temperature and abrasion resistance, so they're ideal for use indoors and out—even in extreme conditions. These durable labels can be used for part and subassembly number labeling, wiring diagrams, serial number labeling, pipe marking, inspection and calibration stickers, safety labeling and more. P-Touch® Extra-Strength Tapes are designed for slippery and textured surfaces so they stick better to hubs, routers and switches, while Flexible Extra-Strength Tapes can be used for cable and wire flagging. Standard Tapes work great in any office or warehouse for labeling bins and racks, binders, file cabinets, tools and equipment.

FYI





Convenient cup holder and storage slot.

Front "hook" holds extension cord or soft wastebasket. Handle bin stores small parts and tools.



000
LB. CAPACITY

Weight Capacity

The maximum weight that this product can accommodate.



Rubbermaid Commercial Products

HEAVY-DUTY UTILITY CARTS

- Multiple-duty carts for use in warehouses, mailrooms, conference rooms and maintenance facilities
- Heavy-duty plastic won't rust, dent, chip or peel
- Lightweight for easy maneuverability and quiet operation
- Rounded corners mean no sharp edges to nick walls or furniture

A Heavy-Duty Service/Utility Carts

Structural foam construction, 500-lb. capacity. Two tray-style shelves, cup holder and storage slot to stay organized. 5" molded-in ergonomic full round handle for comfort. Nonmarking casters (two swivel). 33 $\frac{3}{4}$ " high. *

No.	Color	Size (W x D)	Shpg. Wt.	Each
RCP 4500-88 BEI	Beige	17 $\frac{7}{8}$ x 39 $\frac{1}{4}$	32 lbs.	245.10
RCP 4500-88 BLA	Black	17 $\frac{7}{8}$ x 39 $\frac{1}{4}$	32 lbs.	245.10
RCP 4520-88 BEI	Beige	25 $\frac{7}{8}$ x 45 $\frac{1}{4}$	45 lbs.	278.68
RCP 4520-88 BLA	Black	25 $\frac{7}{8}$ x 45 $\frac{1}{4}$	45 lbs.	278.68

B Flat Shelf Utility Carts

Structural foam construction, 500-lb. capacity. Flat shelves provide a smooth worksurface and allow easy loading. Molded-in wraparound handle with convenient storage bin. Front mounting bracket holds wastebasket, extension cord or power strip. 5" nonmarking casters. 33 $\frac{3}{8}$ " high. *

No.	Color	Size (W x D)	Shpg. Wt.	Each
RCP 4505 BEI	Beige	37 $\frac{9}{10}$ x 19 $\frac{1}{2}$	33 lbs.	262.20
RCP 4505 BLA	Black	37 $\frac{9}{10}$ x 19 $\frac{1}{2}$	33 lbs.	262.20
RCP 4525 BEI	Beige	43 $\frac{9}{10}$ x 25 $\frac{1}{2}$	43 lbs.	291.34

C Service/Utility Carts

Structural foam construction, 300-lb. capacity. Two tray-style shelves securely hold contents. Molded-in handle with convenient storage compartments. 4" nonmarking swivel casters. Easy assembly. Black. 31 $\frac{1}{4}$ " high. *

No.	Size (W x D)	Shpg. Wt.	Each
RCP 9T66 BLA	16 x 34	36 $\frac{1}{4}$ lbs.	198.58
RCP 9T67 BLA	24 x 40	42 $\frac{3}{4}$ lbs.	200.36

D Instrument Cart

- For use in hospitals, health care centers, labs and hotels/motels

For transporting instruments and supplies. Three smooth, easy-to-clean shelves, sliding top drawer and two molded handles. Enclosed bottom shelf has locking doors to secure contents. 300-lb. maximum load capacity; 100 lbs. per shelf. Easy "pound-together" assembly. Gray with nonmarking casters. 40 $\frac{1}{2}$ "w x 20d x 37 $\frac{1}{8}$ "h.

Shpg. wt. 51 $\frac{1}{2}$ lbs. *

RCP 4094 GRA

Each 539.60

E Three-Shelf AV/Equipment Cart, Lockable Enclosed Shelf

300-lb. total load capacity (100 lbs. per shelf). Sized to carry large loads. Rounded corners won't damage walls. Upscale appearance ideal for institutional, warehouse or front office use. Large textured shelves hold a variety of equipment and supplies. Durable, structural web construction resists scratches, chips and rust. Lightweight and easy to handle. Quiet, nonmarking casters. Comfortable, rounded handles have molded-in storage bins for small items. Black. 40 $\frac{1}{2}$ "w x 20 $\frac{3}{4}$ "d x 37 $\frac{1}{8}$ "h. Shpg. wt. 52 lbs.

RCP 4095 BLA

Each 587.74

* Items with this symbol require assembly.



Rubbermaid Commercial Products



UTILITY CARTS

- Sized to carry large loads and reduce return trips
- Rounded corners won't damage walls

Upscale appearance is ideal for institutional, warehouse or front office use. Large textured shelves hold a variety of equipment and supplies. Durable, structural web construction resists scratches, chips and rust. Lightweight and easy to handle with quiet, nonmarking casters. Comfortable, rounded handles have molded-in storage bins for small items.

No.	Color	Shpg. Wt.	Each
A 3-Shelf Utility Cart, Open All Sides —300-lb. total load capacity (100 lbs. per shelf). 40 $\frac{1}{2}$ "w x 20d x 37 $\frac{1}{2}$ "h.			
RCP 4091 CRE	Off-White	46 lbs.	334.42
RCP 4091 BLA	Black	46 lbs.	334.42
B 4-Shelf Utility Cart, Open All Sides —300-lb. total load capacity (75 lbs. per shelf). 40 $\frac{1}{2}$ "w x 20d x 51h.			
RCP 4096 BLA	Black	52 lbs.	438.28
C 3-Shelf Utility Cart, Enclosed On 3 Sides —300-lb. total load capacity (100 lbs. per shelf). 40 $\frac{1}{2}$ "w x 20d x 37 $\frac{1}{2}$ "h.			
RCP 4093 CRE	Off-White	51 lbs.	539.60
RCP 4093 BLA	Black	51 lbs.	539.60

THREE-SHELF UTILITY/SERVICE CARTS

- Quiet operation
- Dual-molded handles; nonmarking swivel casters
- Easy-to-clean smooth surfaces

D Three-Shelf Utility Cart with Brushed Aluminum Uprights

Ideal for offices or foodservice. 200-lb. total load capacity. Shelves have slight lip on three sides; one flat side for easy loading. 4" diameter casters. Assembles easily in minutes. 18 $\frac{1}{2}$ "w x 33 $\frac{1}{2}$ d x 37 $\frac{1}{2}$ h. Shpg. wt. 30 lbs.

RCP 3424-88 BLA	Black	Each	287.54
RCP 3424-88 PLA	Platinum	Each	287.54

E Three-Shelf Service Cart with Brushed Aluminum Uprights

Ideal for office use. 100-lb. total load capacity. Shelves have one flat side for easy loading; lip on three sides. 3" diameter swivel casters. Easy to assemble. Beige. 16 $\frac{1}{2}$ "w x 31 $\frac{1}{2}$ d x 36h. Shpg. wt. 21 $\frac{1}{2}$ lbs.

RCP 9T65-71 BEI	Each	236.38
-----------------	-------------	---------------

F Three-Shelf Utility Cart with Enclosed End Panels

Ideal for offices or foodservice. Flat shelves. Enclosed on two sides. 300-lb. total load capacity. 4" diameter casters. Platinum. 18w x 31d x 37 $\frac{1}{2}$ h. Shpg. wt. 38.6 lbs.

RCP 3355-88 PLA	Each	450.94
-----------------	-------------	---------------

UTILITY CART BINS

Handy bins convert utility carts to busing systems. Top rim has a lip which rests on cart beneath the handle. For RCP 3355-88, 3424-88, 4091, 4093, 4094, 4095 and 4096 Utility Carts.

G Refuse Bin

8-gallon capacity. Black. 17w x 12d x 22h.

RCP 3353-88 BLA	Each	84.60
-----------------	-------------	--------------

H Utility Bin

4-gallon capacity. Black. 17w x 12 $\frac{1}{2}$ d x 10 $\frac{1}{2}$ h.

RCP 3354-88 BLA	Each	40.36
-----------------	-------------	--------------

Refuse Bin G
(RCP 3353-88 BLA)
and Utility Bin H
(RCP 3354-88 BLA)
each sold separately.



Items with this symbol require assembly.

000 **Weight Capacity**
The maximum weight that this product can accommodate.

