

**Rubbermaid Commercial Products**



**A Atrium™ Steel Container with Open Top**

Fire-safe construction. ADA Compliant. Made of heavy-gauge material. Durable, corrosion-resistant metal. Galvanized liner. 6" dia. opening. Mirror stainless steel. 15-gal. capacity. 14½ dia. x 28½h. Shpg. wt. 23 lbs. RCP 9066 MST

Each 302.10

**B Atrium™ Aluminum Container with Open Top**

Use in airports, office buildings, malls. Corrosion-resistant, heavy-gauge aluminum. Baked-on epoxy finish. 35-gal. capacity. 8" dia. opening. 18 dia. x 32¼h. Shpg. wt. 38.7 lbs.

No.	Color	Each
RCP 9079 SAL	Satin	763.80
RCP 9079 HSI	Hammered Silver	763.80

**C Marshal® Steel Container**

Fire-safe, heavy-gauge, corrosion-resistant steel. Self-closing, mirror-polished stainless steel door. Stainless steel reinforced bottom rim protects floors. Recessed hand grips for easy emptying. Mirror-polished stainless steel. Made of #304 material. Includes 12½-gal. rigid plastic liner. 15-gal. capacity. 15¼ dia. x 36½h. Shpg. wt. 24.7 lbs. RCP 9624 MST

Each 476.52

**United Receptacle**



**D Designer Line™ Fire-Safe Dome Top Receptacle**

ADA/OSHA Compliant. Self-extinguishing receptacle has galvanized steel inner liner for maximum safety and odor control. Black powder coated dome top with spring-hinged, self-closing door. Recessed side handles for easy emptying. Nonmagnetic steel base with noncorrosive base ring to protect floors. FM Approved, CSFM Listed and UL Listed. Minimum 30% recycled steel, 100% recyclable. Satin stainless steel. 15-gal. capacity. 15 dia. x 36h. Shpg. wt. 27 lbs. UNI R1536SSSGL

Each 366.32

**E Fire-Safe Dome Top Receptacle**

ADA/OSHA Compliant. Self-extinguishing "silent firefighter" has self-closing stainless steel door and galvanized steel inner liner for maximum safety and odor control. Durable powder coated finish for indoor/outdoor service. FM Approved, CSFM Listed and UL Listed. Minimum 30% recycled steel, 100% recyclable. White. 15-gal. capacity. 15 dia. x 36h. Shpg. wt. 27 lbs. UNI R1536EGLW

Each 190.74

**F Designer Line™ Fire-Safe Half-Round Container**

ADA Compliant. Durable fire-safe steel construction. Wall-hugging design is perfect where aesthetics and space are important. Large 15 x 5 vinyl-trimmed opening. Lift-off body makes emptying easy. Noncorrosive base ring prevents scratching of floors. Includes leakproof rigid plastic liner. Minimum 30% recycled steel, 100% recyclable. Black with mirror brass accents. 9-gal. capacity. 18w x 9d x 32h. Shpg. wt. 15 lbs. UNI S08-10BPL

Each 207.50



A



B

Hammered Silver



C



D



E



F

**Underwriters Laboratories Inc. (UL)** is a well-known testing laboratory that develops standards for materials, components, assemblies, tools, equipment and test procedures chiefly dealing with product safety and utility.

**UL Listed**—Tested and approved fire-safe/self-extinguishing for indoor containment of dry flammable paper waste.

**UL Classified**—Approved only for burning paper containment and resistance to temperature rise of surrounding surfaces.

**FYI**





**Nonmagnetic—will not interfere with technical equipment. Complies with ADA mandated reach range.**



**Provides sanitary waste disposal in hospitals, nursing homes, restrooms and medical offices.**



No.	Color	Each
<b>G Stainless Steel/Plastic</b> —Durable, hybrid construction for easy cleaning and long product life. 23-gal. capacity. 22 $\frac{1}{4}$ l x 20 $\frac{1}{2}$ w x 27 $\frac{1}{2}$ h. Shpg. wt. 18.75 lbs.		
RCP 6146-87	BLA	424.08
RCP 6146-87	RED	424.08
<b>H Plastic</b> —Impact-resistant plastic construction. 30-gal. capacity. 24 $\frac{1}{2}$ l x 19 $\frac{1}{4}$ w x 34 $\frac{1}{2}$ h. Shpg. wt. 18.75 lbs.		
RCP 6147	LPL	277.02
RCP 6147	RED	280.44

## United Receptacle



### A Domed Drum Lid

Use with 55-gal. drums. Rust-resistant, galvanized steel. Adjustable thumb screws assure a tight fit. Self-closing contoured door with rubber pads for quiet operation. Meets OSHA requirements. FM Approved and CSFM Listed when used with steel drums. Minimum 30% recycled steel, 100% recyclable. 24 $\frac{1}{2}$  dia. x 11 $\frac{1}{2}$  h. Shpg. wt. 12 lbs.; UPS-shippable at oversized carton 30-lb. rate.   
UNI 1855GRE **Each 126.14**

### B WasteMaster™ Nonmagnetic Stainless Steel Fire-Safe Receptacle

Will not interfere with technical equipment. UL/CSFM Listed fire-safe/self-extinguishing; FM Approved. Meets OSHA requirements and ADA mandated reach range. Self-closing dual entry doors control odors. Top opens 90° for emptying ease. Nonskid legs. Rigid plastic liner; poly bag retainer bands. 30% recycled steel, 100% post-consumer. 24-gallon capacity with 16-gallon liner. 14 sq. x 35 $\frac{1}{2}$  h. Shpg. wt. 36 lbs.   
UNI T1424SSPL **Each 499.66**

## Impact Products



### C 28-Quart Round Metal Wastebasket

High-quality steel with baked-on enamel finish. Gray. 13 $\frac{1}{2}$  dia. x 14 $\frac{1}{4}$  h. Shpg. wt. 3.3 lbs.   
IMP 1302 GRA **Each 18.64**

### D 18-Quart Step-On Receptacle

Hands-off operation for infection and odor control. Includes rigid plastic liner. Steel construction with tight-fitting lid. White painted, chip-proof enamel finish. 11 $\frac{1}{4}$  w x 12 $\frac{1}{2}$  d x 18 h. Shpg. wt. 8 lbs.   
IMP 13200 **Each 63.44**

## United Receptacle



### E Economical Steel Step Can

Meets OSHA and OBRA requirements. Fire-, rust- and rodent-resistant. Includes rigid plastic liner. Tight-fitting lid maximizes odor control, operates quietly. Self-closing. New steel hinge doubles as a carrying handle. Plastic base protects floor, reduces noise. 30% recycled steel, 100% recyclable powder coated or stainless steel. 3 $\frac{1}{2}$ -gallon capacity. 11 dia. x 16 h. Shpg. wt. 6 lbs.

No.	Color	Each
UNI MST35EWE	Powder Coated/White	68.10
UNI MST35SSPL	Stainless Steel	125.46

### F Defenders® Enamel Step Can for Infectious Waste

Meets OSHA/OBRA, NFPA Life Safety Code requirements. UL/CSFM Listed fire-safe/self-extinguishing; FM Approved. Convenient foot pedal operation; nonskid legs. Self-closing piano hinge lid controls odors; "flip back" restraint prevents wall damage. Leakproof rigid plastic liner; poly bag retainer bands. White powder coated finish. 30% recycled steel, 100% post-consumer recyclable.

No.	Size	Shpg. Wt.	Each
UNI ST12EPLWH	12 gal./12 sq. x 23h	22 lbs.	192.36
UNI ST24EPLWH	24 gal./15 sq. x 30h	35 lbs.	239.24

## Rubbermaid Commercial Products



### MEDICAL WASTE STEP-ON CONTAINERS

Ideal for areas where medical waste originates, including patient rooms, lab procedure rooms and emergency rooms. Greater capacity makes waste collection more efficient and helps reduce labor costs. Assists in complying with OSHA regulation 29 CFR 1910.1030 "Occupational Exposure to Bloodborne Pathogens." Quiet, heavy-duty, extra-large foot pedal for handsfree sanitary use. Integrated slow-close lid damper reduces excessive noise and keeps odors and bacteria from escaping. FM/CSFM rated.



**Rubbermaid Commercial Products**



**FIRE-SAFE PLASTIC STEP-ON RECEPTACLES**

- Factory Mutual System Approved and California State Fire Marshal Listed for fire safety
- Quiet, heavy-duty pedal permits handsfree sanitary use
- Seamless puncture-resistant plastic resists leaking—won't rust or dent; complies with OSHA Regulation 29 CFR 1910.1030

**A-E Containers**

Large opening. Tight-fitting, overlapping lid controls odors. Lid has a deodorant block holder.

**A 4½-Gallon**

Round with a rigid liner. White. 13¼ dia. x 15¾h. Shpg. wt. 10 lbs.  
RCP 6142 WHI **Each 114.60**

**B 8-Gallon**

15¾w x 16¼d x 17¾h. Shpg. wt. 8 lbs.

No.	Color	Each
RCP 6143 BEI	Beige	115.74
RCP 6143 RED	Red	115.74
RCP 6143 WHI	White	115.74

**C 12-Gallon**

15¾w x 16¼d x 23¾h. Shpg. wt. 12 lbs.

No.	Color	Each
RCP 6144 BEI	Beige	135.70
RCP 6144 RED	Red	135.70
RCP 6144 WHI	White	135.70

**D 18-Gallon**

16¾w x 19¼d x 26½h. Shpg. wt. 13 lbs.

No.	Color	Each
RCP 6145 BEI	Beige	154.48
RCP 6145 RED	Red	154.48
RCP 6145 WHI	White	154.48

**E 23-Gallon Mobile Container**

Stainless steel wheel assembly. 16¾w x 19¼d x 32½h. Shpg. wt. 18 lbs.

No.	Color	Each
RCP 6146 BEI	Beige	220.00
RCP 6146 RED	Red	220.00
RCP 6146 WHI	White	220.00

**F Foot Pedal Rolltop Container**

Slim, oval shape fits easily in tight spaces. Rolltop lid opens without drawing odors into the air, and eliminates the need for overhead clearance. Wraparound foot pedal provides handsfree access from front and sides. Stainless steel lifting rods for long-lasting performance. Beige. 14½-gallon capacity. 14½w x 22¼d x 27¾h.  
RCP 6177 BEI **Each 117.44**



Tight-fitting, overlapping lid has a deodorant block holder.



Rear roller on B provides stability and easy transport.



Roll top lid opens easily without the need for overhead clearance.



Slim, oval shape fits under counters and out of the way.

Various non-profit organizations such as Factory Mutual (FM), California State Fire Marshal (CSFM) and Underwriters Laboratories (UL) test products for safety compliance. The organizations run various high-temperature and impact tests to determine a product's fire safe or fire resistant listing.

**Fire Safe** products are approved as self-extinguishing for indoor containment of dry flammable paper waste.

**Fire Resistant** products are approved only to burning paper containment and resistance to temperature rise of surrounding surfaces.



# Designed to Serve

## Boardwalk disposables...



**BOARDWALK**

### Elegance & Ease

Our disposable foodservice products will rise to any occasion. Convenient, elegant, durable and stylish, they boast of versatility to accommodate all of your company's needs. So whether you're serving those eating in or taking out, don't miss out on an opportunity to be a leader in customer service. Serve your guests with the best.

### Premium disposable product highlights:

- Clear Cups: Durable and shatter resistant.
- Foam Dinnerware: Nonabsorbent and leak-proof. Designed with deep proportions and dividing compartments.
- Straws: Wrapped or unwrapped, a diverse range of sizes and colors are available.
- Cutlery: Economical and practical. Whether your customer is seeking the performance of a full-size full-strength or the simplicity of a break resistant mid-weight; A Boardwalk grade is ready to serve.
- Translucent Cups: Strong, everyday drink cups offers smooth drinking and leak-free travel.
- Portion Cups and Lids: Snap lock and leak-resistant lid fit.



# Foodservice

Cups & Lids

Straws

Toothpicks

Moist Towelettes

Plastic Cutlery & Cutlery Kits

Dinnerware

Catering

Food Containers & Lids

Food Warming

Food Wrap

Bakery Products

Canned Heat, Candles & Liquid Wax

Apparel

Guest Checks

Party Supplies

Ware Handling

Insulated Products

Table Service

Food Storage

Food Preparation

Coffee Service

Plastic Bags

Kraft Paper Bags

# Recycling Containers

Waste Receptacles



**Venting channels make it easier to lift full can liners from the container.**

**A**



**B**



**D**



**C**

**Tops also fit RCP 3541 and RCP 3554 (sold separately).**



**E**

**F**

**Container and top sold separately.**



**H**

**G**

## Rubbermaid Commercial Products



• Containers show "WE RECYCLE" imprint

### **A Slim Jim® Recycling Container with Venting Channels**

Venting channels reduce force required to lift full can liners by up to 68%. Ergonomic integrated handles and molded-in base grips. Four molded-in pull-through holes with "cinch" points retain liners securely. Blue. 23-gallon capacity. 22w x 11d x 30h. Shpg. wt. 30.6 lbs. RCP 3540-07 BLU **Each 69.64**

### **B Deskside Paper Recycling Containers**

Blue.

No.	Capacity	W x D x H	Each
RCP 2955-06 BLU	13½-Quart	11½ x 8¼ x 12½	<b>11.10</b>
RCP 2956-06 BLU	28½-Quart	14¾ x 10¼ x 15	<b>12.12</b>
RCP 2957-06 BLU	41¼-Quart	15¼ x 11 x 19½	<b>22.76</b>

### **C Recycling Box**

Blue. 12½-gallon capacity. 20w x 15½d x 13½h. Shpg. wt. 24 lbs.

RCP 5712-06 BLU **Each 25.34**

### **D Slim Jim® Station Recycling Container**

Provides a convenient central collection site in areas of high waste.

Blue. 23-gallon capacity. 20w x 11d x 30h. Shpg. wt. 8 lbs.

RCP 3540-06 BLU **Each 68.74**

### **Slim Jim® Tops**

Fits RCP 3540, RCP 3541 and RCP 3554 containers.

No.	Color	Shpg. Wt.	Each
-----	-------	-----------	------

#### **Paper Recycling**

RCP 2703-88 BLU Blue 2 lbs. **44.28**

#### **Bottle & Can Recycling**

RCP 2692-88 GRE Green 2 lbs. **44.28**

### **High-Volume Station Recycling Containers and Top**

High-capacity collection containers for high-volume areas. Top fits both RCP 3958 and RCP 3959 containers. Blue.

No.	Size	Shpg. Wt.	Each
-----	------	-----------	------

#### **35-Gallon Square Container**

RCP 3958-06 BLU 19½ sq. x 27½ 9 lbs. **123.14**

#### **50-Gallon Square Container**—(Not shown.)

♦RCP 3959-06 BLU 19½ sq. x 34¼h 13 lbs. **171.00**

#### **Bottle & Can Recycling Top**

RCP 2791 BLU 20½ sq. x 6¼h 4 lbs. **66.58**

The idea for Earth Day came from former Wisconsin senator Gaylord Nelson, who had become frustrated with the lack of political attention on environmental issues. As Sen. Nelson recalls it, "I announced that in the spring of 1970 there would be a nationwide grassroots demonstration on behalf of the environment and invited everyone to participate." In the time between this announcement and Earth Day itself, interest in the demonstration grew beyond the capacity of Sen. Nelson's office, and he delegated coordination to a staff lead by Denis Hayes. On April 22, 1970, 20 million Americans participated in Earth Day demonstrations and rallies across the United States. The demonstration put environmental issues on the political radar. Currently, Earth Day is observed in 175 countries through festivals and programs coordinated by the Earth Day Network.

**FYI**



*A recycled environment is a happy environment.*

## Rubbermaid Commercial Products



### A Glutton® Waste and Recycling Station

Provides a centralized collection solution for consumer waste and recycling sortation needs. 92-gallon combined capacity with segmentation for up to four separate 23-gallon waste containers. Restrictive-opening tops with iconic and word labels guide sortation and minimize contamination. Unifying station lid frame has center hinge for easy emptying without removing entire lid. Kit includes two Glutton® containers, four Slim Jim® containers, one station lid frame, eight restrictive-opening tops (four circles, two slots, one square, one triangle) and one label pack of iconic and word labels in three languages (English, French, Spanish). Corrosion- and impact-resistant plastic construction. ADA compliant. Blue. Assembled size: 24w x 53d x 35½h. Shpg. wt. 66.4 lbs.  
RCP 256R-06 BLU

Each 886.92



## RECYCLING CONTAINERS

• Easy-to-manuever equipment can also serve as central collection containers or shipping containers to reduce handling. Blue.

### B Brute® Square Big Wheel® Recycling Container

50-gallon container with 8" nonmarring wheels and attached lid. 23.4 sq. x 37.1h. Shpg. wt. 23 lbs.  
◆RCP 9W27-06 BLU

Each 154.04



### C Brute® Round Recycling Containers

No.	Capacity	Size	Each
◆RCP 2632-06 BLU	32-Gallon	22 dia. x 27¼h	47.24
◆RCP 2643-06 BLU	44-Gallon	24 dia. x 31½h	73.02



### D Bulk Recycling Tilt Truck

Standard duty. ½ cubic yard, 750-lb. capacity. 28w x 60½d x 38¾h. Shpg. wt. 77 lbs.  
◆RCP 1305-06 BLU

Each 1038.68



### E Bulk Cube Recycling Truck

16 cubic feet, 500-lb. capacity. 31w x 43¼d x 37h. Shpg. wt. 51 lbs.  
◆RCP 4616-06 BLU

Each 613.06



According to the Environmental Protection Agency, 79 million tons of material were recycled and composted in 2005. Using a combination of indoor and outdoor recycling containers, you can develop a recycling program in your place of business. The recognizable blue color containers and special drop-in openings facilitate easy sortation while encouraging the recycling of specific waste such as bottles or cans. Small deskside bins make it easy to sort paper and other recyclables from regular waste. A variety of large, mobile recycling containers can be used outdoors for yard waste or as a centralized collection location. The following steps will help you design a recycling program for your workplace:

- **Create a "Green Team"** – Develop a committee of employees who are interested in creating a recycling program.
- **Identify which materials to recycle** – Some examples of commonly recycled business items include: office paper, magazines and catalogs, newspaper, cardboard, aluminum cans, plastic bottles, industrial waste and printer cartridges.
- **Contact a recycling company** – Based on the type of materials you wish to recycle and the kind of services available in your area, select several recycling companies to interview. Obtain price estimates for dumpster and collection service.
- **Educate staff on the new program** – Explain the new recycling program to employees and janitorial staff. Provide bins and collection containers with proper signage.
- **Maintain your program** – Evaluate your recycling program's process through regular meetings of the "Green Team" committee. Keep staff updated through periodic reminders and memos.

**FYI**





**A**



**B**



**C**



**D**



**E**




**F**



**G**



**H**



**I**

## **I** Classic Smoking Urn

Self-closing, one-piece wall model is easy to empty and clean. Black. 10w x 5¼d x 5h. Shpg. wt. 3 lbs. ♻️  
RCP 2583 BLA

**Each 122.02**

## Rubbermaid Commercial Products



• California State Fire Marshal (CSFM) Listed for fire safety

### **A** 25-Gallon Plastic Ash/Trash Containers

Ideal for entryways, lobbies, smoking areas. Collects both refuse and smoking debris. Structural web plastic construction gives a contemporary styling and resists dents and scratches. Smooth surface is easy to clean. Aluminum ashtray top removes for ease of maintenance, or can be permanently affixed. Uses Rigid Liner RCP 3552 (sold separately). Beige. 18 dia. x 42¼h. Shpg. wt. 29 lbs. RCP 8182-88 BEI

**Each 440.04**

### **B** 12-Gallon Atrium™ Steel Ash/Trash Receptacle with Sand Top

For indoor or protected outdoor use. Fire-safe construction. Stainless steel, corrosion-resistant reinforcing bottom rim protects floors. Durable trim on openings protects container and reduces potential for injury. Smooth-walled construction is easy to clean. Powder coated heavy-gauge galvanized steel. 11w x 6h trash opening; spun aluminum ashtray. Galvanized liner. Black. 15 dia. x 28¾h. Shpg. wt. 23.5 lbs. RCP 9106 BLA

**Each 243.96**

### **C** Smoking Urn/Trash Receptacle

Floor model with metal ashtray and refuse opening. Black/Chrome. 12½ dia. x 19½h. Shpg. wt. 10½ lbs. RCP 2586 BLA

**Each 136.24**

### **D** Smoking Urn

Floor model with metal ashtray top. Black/Chrome. 11½ dia. x 19½h. Shpg. wt. 8½ lbs. RCP 2585 BLA

**Each 77.10**

## United Receptacle



### **E** Sand Urn

Powder coated, fire-safe steel. Removable aluminum ashtray top. Vinyl base ring protects floors and carpeting. ADA Compliant. Minimum 30% recycled steel, 100% recyclable. Black. 10 dia. x 20h. Shpg. wt. 7 lbs. ♻️  
UNI 1000E

**Each 51.90**

### **F** Silica Sand

For use in all sand urns. 5-lb. bag. 5 bags per case. UNI B25 Black  
UNI S25 White

**Case 39.68**  
**Case 38.56**

### **G** Smokers' Station® Wall Urn

Weather-resistant galvanized steel body with black, textured powder coated finish and stainless steel door for outdoor use. Two disposal openings have stainless steel extinguishing screen and fire-safe galvanized steel inner liner. Keyed cam-lock front opens completely for easy emptying. Two keys and wall mounting hardware included. Minimum 30% recycled steel, 100% recyclable. 10w x 3d x 12½h. Shpg. wt. 7 lbs. ♻️  
UNI R1012EGL

**Each 165.76**

## Rubbermaid Commercial Products



### **I** Infinity™ Wall-Mount Outdoor Smoking Receptacle

FM Approved. Compact wall-mount design for mounting near facility entrances. 0.6-gal. capacity; holds up to 700 cigarettes. All-metal construction withstands cigarette extinguishing and is UV- and weather-resistant. Unobstructed funnels reduce jamming during cigarette disposal. Large stainless steel snuff plate with 360° access. Easy-to-empty design. Dome top prevents water from collecting in the receptacle. Integrated padlock tabs for security (padlock not incl.). Weighted base with bolt-down option (hardware not incl.). Stainless Steel/Black. 11½w x 11¼d x 18h. Shp. wt. 12 lbs. RCP 9W32 BLA

**Each 193.80**



## Rubbermaid Commercial Products



### A GroundsKeeper™ Outdoor Cigarette Receptacle

FM Approved. Covered to conceal cigarette butts. Galvanized steel chamber, extinguishes butts quickly. Easy to empty. Weather resistant; will not rust or fade. Beige. 12½w x 12½d x 39¾h. Shpg. wt. 15.5 lbs.  
RCP 2570-88 BEI **Each 122.58**



A



B

### B GroundsKeeper™ Outdoor Tuscan Cigarette Receptacle

FM Approved. Smooth, injection-molded plastic is rust resistant and easy to clean. Galvanized steel waste collector holds large quantities of butts; empties quickly. Stainless steel snuff plate minimizes smoldering. Molded-in-color polymer body with UV inhibitor and powder coated aluminum cap stand up to years of extreme weather. Heavy steel base plate for stability. Anchor holes for added security. 14w x 14d x 42h. Shpg. wt. 12.6 lbs.  
RCP 9W30 BLA Black **Each 153.34**  
RCP 9W30 SST Sandstone **Each 153.34**

## INFINITY™ OUTDOOR SMOKING RECEPTACLES

FM Approved. Durable, high-capacity design for attractive and efficient smoking litter management. All-metal construction withstands cigarette extinguishing and is UV- and weather-resistant. Unobstructed funnels reduce jamming during cigarette disposal. Larvge stainless steel snuff plate with 360° access. Easy-to-empty design for sanitary emptying and cleaning. Dome top prevents water from collecting in the receptacle. Integrated padlock tabs for security (padlock not incl.). Weighted base with bolt-down option (hardware not incl.).

### C Infinity™ Ultra-High Capacity Smoking Receptacle

Specifically designed for high-traffic areas such as malls, stadiums and corporate office parks. 6.7-gal. capacity; holds up to 8,000 cigarettes. 15½w x 15½d x 41¾h. Shpg. wt. 32.5 lbs.  
RCP 9W34 APE Antique Pewter **Each 296.40**  
RCP 9W34 BLA Black **Each 296.40**



C

### D Infinity™ Traditional Smoking Receptacle

4.1-gal. capacity; holds up to 5,000 cigarettes. 13w x 13d x 39h. Shpg. wt. 23.75 lbs.  
RCP 9W33 APE Antique Pewter **Each 216.60**  
RCP 9W33 BLA Black **Each 216.60**

### E Infinity™ Base-Mount Smoking Receptacle

1.3-gal. capacity; holds up to 1,500 cigarettes. Stainless Steel/Black. 15½w x 15½d x 39¾h. Shpg. wt. 23.25 lbs.  
RCP 9W31 BLA **Each 307.80**



D



E



## United Receptacle



### F Aladdin Smokers' Station®

UL/FM Approved fire-safe/self-extinguishing. Heavy-duty, steel construction. Fluted design smothers smoldering butts. Capped tube has two 1¼" dia. openings that accept smoking debris yet deter other waste. 4¼-gal. steel liner with handle removes for cigarette disposal. Durable UV-stabilized hammertone powder coated finish endures severe weather and prevents burn damage. Chained top prevents theft. Minimum 30% recycled steel, 100% recyclable. Charcoal. 16 dia. x 39h. Shpg. wt. 20 lbs.   
UNI R1639EHGR **Each 213.42**



## Ex-Cell

### G Smokers' Oasis™

All-steel, self-extinguishing cigarette butt receptacle requires no sand. Extra-large, 4½ gal. removable galvanized steel pail with handle hides thousands of cigarette butts, reducing maintenance time. UV-stabilized EXL-COAT™ TGIC powder coated finish won't melt or burn, and cleans easily with a damp cloth. Features three oblong entry openings that are positioned to provide minimal air exchange and to help keep rain and trash from being dropped inside. Sure-fit industrial steel hasp closure secures top to the base and provides a way to secure the unit with cable and padlock (not incl.). Extra-wide base resists tipping. Vinyl base pad protects floors. Hammered Charcoal. 16 dia. x 39h. Shpg. wt. 19 lbs.  
XEL SRS-1HCCL **Each 238.54**



F



G

